

DATE	AIR T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION		
	min	max	prec	evap	ly	max	
mo da	avg	avg	ly	hum	ly	ly/m	
01/01 (001-t)	16.6	26.1	0.00	87	260	0.79	135 10
01/02 (002-w)	20.1	28.1	0.00	91	233	0.83	124 10
01/03 (003-t)	17.3	23.7	0.00	86	83	0.66	76 9
01/04 (004-f)	12.0	20.8	0.00	80	234	0.69	140 10
01/05 (005-s)	20.6	30.2	0.12	91	27	0.14	143 10
01/06 (006-s)	30.1	32.5	0.01	99	41	0.24	98 10
01/07 (007-m)	23.5	35.3	0.00	88	151	0.92	127 9
01/08 (008-t)	20.9	28.1	0.01	91	107	0.61	149 10
01/09 (009-w)	31.1	33.2	0.01	99	38	0.24	134 10
01/10 (010-t)	29.8	31.0	0.10	94	42	0.19	127 10
01/11 (011-f)	32.1	39.1	0.44	99	26	0.12	150 10
01/12 (012-s)	24.8	30.6	0.01	96	31	0.15	124 10
01/13 (013-s)	24.8	29.7	0.00	91	74	0.32	142 10
01/14 (014-m)	31.4	35.9	0.00	91	97	0.60	112 10
01/15 (015-t)	31.1	40.9	0.11	86	197	0.70	176 10
01/16 (016-w)	33.8	42.9	0.19	97	47	0.58	164 10
01/17 (017-t)	27.6	31.2	0.02	96	28	0.17	96 10
01/18 (018-f)	26.8	31.1	0.00	81	238	0.88	127 10
01/19 (019-s)	27.1	36.3	0.00	88	160	0.93	138 10
01/20 (020-s)	26.1	37.2	0.09	93	32	0.21	134 10
01/21 (021-m)	13.8	17.8	0.01	89	203	1.20	169 10
01/22 (022-t)	3.0	13.0	0.01	81	236	0.96	128 9
01/23 (023-w)	15.7	26.2	0.00	80	109	0.55	157 10
01/24 (024-t)	7.5	16.9	0.00	75	279	0.88	156 10
01/25 (025-f)	2.7	11.1	0.00	80	314	1.08	145 9
01/26 (026-s)	10.6	19.1	0.01	88	122	0.49	170 10
01/27 (027-s)	11.8	24.3	0.12	90	205	1.03	215 9
01/28 (028-m)	14.0	27.1	0.01	88	219	0.67	178 10
01/29 (029-t)	14.0	27.9	0.19	95	180	0.88	128 9
01/30 (030-w)	21.1	28.7	0.32	98	50	0.20	109 10
01/31 (031-t)	13.6	19.1	0.00	81	250	1.13	153 10

Column Min's: 2.7 11.1 20.3 -23.6 14.9 24.3 32.2  
 Column Avgr's: 20.5 28.0 35.5 26.5 35.2  
 Column Max's: 33.8 42.9 51.7 21.3 29.8 38.4 67.0  
 Column Totals: 4313 3.07

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION											
	min	avg	min	year avg	max	Long Term	prec	evap	ly	max	Long Term									
mo da	avg	max	avg	avg	avg	avg	prec	prec	ly	ly/m	avg yrs									
02/01 (032-f)	14.1	30.6	44.5	-10.0	1978	16.8	56	25.8	56	34.8	56	65.7	1989	0.00	0.08	45	278	0.82	153	10
02/02 (033-s)	32.4	40.0	51.9	-14.0	1951	17.6	56	26.3	56	35.6	56	58.0	1968	0.00	0.12	50	276	0.80	124	10
02/03 (034-s)	28.0	40.9	56.2	-16.1	1985	16.3	56	25.7	56	35.2	56	56.2	1991	0.00	0.07	51	300	0.83	107	10
02/04 (035-m)	29.9	46.0	61.9	-18.9	1985	17.3	56	26.5	56	35.7	56	61.9	1991	0.00	0.09	49	260	1.07	159	10
02/05 (036-t)	42.2	47.8	52.3	-9.0	1979	18.1	55	27.1	55	36.4	56	59.0	1938	0.08	0.04	51	55	0.32	154	10
02/06 (037-w)	36.2	39.8	42.4	-14.0	1977	18.9	56	27.6	56	37.2	56	57.0	1964	0.38	0.10	52	32	0.20	177	10
02/07 (038-t)	32.0	35.1	37.8	-14.0	1977	17.9	56	26.4	56	35.2	56	54.0	1938	0.07	0.08	49	51	0.20	178	10
02/08 (039-f)	30.7	33.6	41.3	-14.0	1977	16.8	56	26.5	56	36.5	56	71.0	1937	0.00	0.03	51	150	1.14	220	10
02/09 (040-e)	26.9	32.2	35.8	-16.0	1977	16.6	56	26.2	56	35.4	56	70.0	1937	0.00	0.06	47	41	0.16	186	10
02/10 (041-s)	27.3	33.7	38.3	-13.0	1979	17.4	56	26.7	56	36.1	56	61.0	1959	0.00	0.12	49	204	1.24	227	10
02/11 (042-m)	18.9	25.6	31.6	-12.0	1979	17.5	56	27.3	56	37.2	56	63.0	1965	0.00	0.08	51	240	1.21	193	10
02/12 (043-t)	13.5	25.3	35.6	-6.0	1978	18.1	56	27.7	56	37.3	56	67.5	1984	0.00	0.08	45	351	0.92	216	10
02/13 (044-w)	25.7	36.3	44.3	-8.0	1979	20.4	56	29.8	56	39.3	56	69.0	1938	0.28	0.15	49	50	0.19	187	10
02/14 (045-t)	21.3	30.4	40.2	-2.0	1979	21.3	56	30.5	56	39.9	56	65.0	1950	0.17	0.10	48	100	0.45	171	10
02/15 (046-f)	5.7	14.5	21.9	-11.0	1978	20.3	56	29.5	56	39.0	56	69.0	1954	0.00	0.12	50	209	0.87	197	10
02/16 (047-s)	2.3	14.8	26.2	-11.0	1978	19.6	56	29.6	56	39.6	56	63.4	1990	0.01	0.05	48	369	1.00	213	10
02/17 (048-s)	25.5	32.4	39.2	-11.0	1979	22.2	56	30.2	56	38.3	56	61.0	1976	0.00	0.07	49	177	0.57	167	10
02/18 (049-m)	32.7	39.7	50.8	-11.0	1979	20.5	56	30.5	56	40.7	56	62.0	1948	0.30	0.07	51	46	0.23	214	10
02/19 (050-t)	36.2	47.9	53.9	-11.0	1936	22.5	56	32.4	56	42.5	56	69.0	1939	0.03	0.07	51	38	0.26	202	10
02/20 (051-w)	30.3	35.1	42.8	-11.0	1936	21.7	56	30.9	56	40.5	56	65.0	1939	0.00	0.09	40	237	1.34	219	10
02/21 (052-t)	32.8	43.7	57.8	-6.0	1978	21.2	56	30.7	56	40.4	56	68.2	1983	0.00	0.12	48	323	1.19	223	10
02/22 (053-f)	28.6	39.5	45.4	-11.0	1963	22.9	56	32.1	56	41.5	56	68.4	1983	0.00	0.09	47	275	1.22	196	10
02/23 (054-s)	20.1	28.1	36.4	-5.0	1978	22.7	56	32.1	56	41.8	56	64.9	1984	0.00	0.10	48	376	1.07	230	10
02/24 (055-s)	27.9	37.0	51.1	-3.0	1978	23.6	56	33.0	56	42.5	56	71.0	1961	0.00	0.11	47	298	1.20	224	10
02/25 (056-m)	24.5	27.7	31.3	-1.0	1967	22.7	56	31.4	56	40.1	56	73.0	1957	0.02	0.11	51	151	0.48	282	10
02/26 (057-t)	19.7	24.5	31.6	-8.0	1963	22.0	56	31.7	56	41.4	56	72.0	1944	0.00	0.16	45	240	1.37	262	10
02/27 (058-w)	22.3	27.8	34.1	-8.0	1963	22.2	56	31.3	56	40.6	56	63.0	1976	0.01	0.07	49	171	1.17	211	10
02/28 (059-t)	28.1	41.1	55.9	4.6	1986	22.9	56	32.3	56	41.9	56	65.0	1939	0.01	0.06	48	165	1.14	292	10

Column Min's: 2.3 14.5 21.9 -18.9 16.3 25.7 34.8  
 Column Avg's: 25.6 34.0 42.6 19.9 29.2 38.6  
 Column Max's: 42.2 47.9 61.9 23.6 42.5 73.0  
 Column Tot's: 1.36 2.49 5.63 100 0.03 0.09 0.81 1.37 0.16 0.81 1.37 2.92 5.63

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A l R		T E M P E R A T U R E (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	avg	min	max	prec	liq	ly	ly/m
11/01 (305-f)	44.0	52.8	23.0	64.6	0.10	0.10	114	0.44
11/02 (306-s)	28.7	35.1	20.0	44.1	0.00	0.00	112	0.84
11/03 (307-s)	17.4	26.3	17.4	34.8	0.00	0.00	240	1.10
11/04 (308-m)	16.0	21.6	16.0	27.7	0.03	0.03	178	1.06
11/05 (309-t)	12.6	26.0	12.6	35.2	0.00	0.00	296	0.84
11/06 (310-w)	31.5	37.7	17.0	44.9	0.00	0.00	87	0.35
11/07 (311-t)	17.8	26.5	16.0	31.5	0.00	0.00	91	0.42
11/08 (312-f)	13.5	22.4	12.0	34.0	0.00	0.00	322	0.99
11/09 (313-s)	11.3	26.3	11.3	41.1	0.00	0.00	311	0.82
11/10 (314-s)	18.6	31.9	18.6	47.8	0.00	0.00	303	0.81
11/11 (315-m)	26.7	35.9	17.0	47.7	0.00	0.00	259	0.88
11/12 (316-t)	22.8	31.8	19.0	36.3	0.09	0.09	38	0.18
11/13 (317-w)	33.9	39.3	12.6	47.9	0.00	0.00	163	0.88
11/14 (318-t)	33.7	47.2	10.6	61.2	0.00	0.00	200	1.02
11/15 (319-f)	47.7	52.6	16.0	59.9	0.25	0.25	77	0.74
11/16 (320-s)	27.0	43.8	15.0	52.1	0.03	0.03	155	0.99
11/17 (321-s)	23.0	36.8	13.0	52.8	0.00	0.00	273	0.84
11/18 (322-m)	39.6	53.6	9.0	62.6	0.25	0.25	80	0.56
11/19 (323-t)	56.1	60.5	17.0	64.0	0.32	0.32	43	0.33
11/20 (324-w)	47.4	60.7	14.0	66.0	0.03	0.03	63	0.52
11/21 (325-t)	47.4	49.3	13.0	52.6	0.02	0.02	46	0.33
11/22 (326-f)	45.5	47.4	9.0	50.4	0.00	0.00	53	0.23
11/23 (327-s)	32.9	46.2	10.0	57.7	0.08	0.08	140	0.85
11/24 (328-s)	23.2	28.3	5.0	32.9	0.00	0.00	77	0.30
11/25 (329-m)	17.8	22.6	5.0	29.8	0.00	0.00	197	0.80
11/26 (330-t)	13.1	24.7	13.0	34.9	0.01	0.01	254	0.71
11/27 (331-w)	27.1	35.4	10.0	42.1	0.03	0.03	54	0.35
11/28 (332-t)	39.6	44.3	6.0	51.5	0.09	0.09	49	0.28
11/29 (333-f)	50.5	57.0	8.0	65.5	0.00	0.00	126	0.83
11/30 (334-s)	37.9	54.8	4.0	65.6	0.32	0.32	95	0.56
Column Min's:	11.3	21.6	4.0	24.6	0.00	0.00	38	0.18
Column Avg's:	30.1	39.3	31.7	41.2	0.06	0.06	150	0.66
Column Max's:	56.1	60.7	40.2	66.0	0.32	0.32	322	1.10
Column Totals:					1.65	1.65	4496	4163

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																
	min	max	min	max	precip	evap	ly	ly/m															
12/01 (335-s)	36.2	38.0	2.0	1976	24.6	55	33.2	55	41.8	55	64.0	1962	0.00	..	..	86	0.11	48	40	0.18	92	10	
12/02 (336-m)	33.8	36.3	4.0	1966	25.5	55	33.0	55	42.3	55	69.3	1982	1.11	..	..	85	0.07	51	34	0.25	94	10	
12/03 (337-t)	24.5	36.5	-3.0	1976	25.6	55	34.2	55	43.3	55	74.3	1982	0.11	..	..	89	0.11	49	20	0.21	98	10	
12/04 (338-w)	8.4	14.1	-2.0	1966	26.3	55	34.4	55	42.8	55	67.6	1982	0.00	..	..	81	0.10	48	116	0.55	118	9	
12/05 (339-w)	8.4	21.6	6.0	1976	26.4	56	34.3	56	42.2	56	65.0	1960	0.00	..	..	79	0.10	47	105	0.59	82	10	
12/06 (340-f)	25.9	31.6	7.0	1974	26.9	56	35.0	56	43.1	56	69.0	1956	0.00	..	..	75	0.09	51	173	0.83	105	10	
12/07 (341-s)	37.0	46.6	-2.0	1977	25.3	56	33.7	56	42.2	56	63.0	1956	0.00	..	..	77	0.12	49	155	0.70	145	10	
12/08 (342-s)	50.1	55.8	-2.0	1977	26.5	56	34.4	56	42.7	56	62.5	1991	0.03	..	..	79	0.07	50	104	0.61	133	10	
12/09 (343-m)	50.9	44.7	-1.0	1958	24.4	55	32.7	56	41.3	55	67.0	1966	0.01	..	..	90	0.13	51	48	0.18	122	10	
12/10 (344-t)	27.8	34.5	-10.0	1958	23.5	56	30.8	56	37.9	56	59.0	1946	0.00	..	..	91	0.09	46	78	0.42	83	10	
12/11 (345-w)	31.8	38.9	-8.0	1958	22.6	56	29.9	56	37.4	56	70.0	1971	0.00	..	..	87	0.14	43	81	0.36	95	10	
12/12 (346-t)	34.8	47.9	-7.0	1962	23.7	56	31.5	56	39.2	56	62.0	1949	0.05	..	..	85	0.09	51	47	0.20	109	10	
12/13 (347-f)	45.8	50.2	-8.0	1962	22.7	56	30.4	56	38.1	56	59.9	1991	0.31	..	..	89	0.08	49	18	0.12	91	10	
12/14 (348-s)	26.5	36.8	1.0	1942	21.7	56	29.8	56	37.7	56	62.3	1984	0.01	..	..	75	0.05	44	110	0.82	134	10	
12/15 (349-s)	17.0	24.8	-6.0	1958	20.4	56	28.9	56	37.5	56	64.0	1975	0.00	..	..	68	0.16	47	106	0.58	92	10	
12/16 (350-m)	12.6	20.4	-14.0	1951	20.0	56	28.1	56	36.2	56	66.0	1971	0.00	..	..	68	0.06	52	105	0.51	88	10	
12/17 (351-t)	28.3	34.5	-17.9	1989	20.6	56	28.7	56	37.0	56	65.8	1984	0.00	..	..	67	0.06	49	172	0.79	107	10	
12/18 (352-w)	14.7	22.3	-12.6	1989	18.7	56	27.5	56	36.4	56	57.0	1977	0.00	..	..	74	0.12	48	174	0.75	115	10	
12/19 (353-t)	7.5	19.7	-7.0	1963	20.5	56	28.1	56	35.8	56	62.0	1967	0.00	..	..	77	0.04	48	225	0.74	114	10	
12/20 (354-f)	18.8	30.4	-18.0	1963	21.0	56	29.0	56	36.9	56	56.8	1988	0.00	..	..	60	0.08	49	95	0.38	119	10	
12/21 (355-s)	24.4	33.7	-17.0	1963	20.2	56	28.4	56	36.6	56	59.0	1949	0.14	..	..	85	0.09	48	170	0.75	105	10	
12/22 (356-s)	23.4	31.6	-26.9	1989	18.9	56	27.9	56	36.5	56	66.0	1967	0.00	..	..	92	0.10	46	37	0.14	115	10	
12/23 (357-m)	31.6	38.3	-14.8	1989	21.8	56	29.4	56	37.0	56	59.0	1957	0.32	..	..	91	0.08	45	50	0.29	119	10	
12/24 (358-t)	25.4	31.7	-19.7	1989	21.3	56	29.7	56	38.1	56	61.1	1982	0.00	..	..	75	0.10	48	202	0.63	119	10	
12/25 (359-w)	20.8	27.3	-13.9	1983	20.5	56	29.0	56	37.5	56	64.0	1964	0.00	..	..	92	0.07	50	58	0.19	114	10	
12/26 (360-t)	17.7	27.8	-8.1	1983	21.2	55	28.8	55	36.5	55	57.0	1960	0.00	..	..	90	0.11	50	136	0.79	117	9	
12/27 (361-f)	19.9	30.6	-16.0	1950	21.7	56	30.1	56	38.2	56	64.0	1959	0.00	..	..	86	0.10	49	194	0.62	90	10	
12/28 (362-s)	26.4	33.9	-11.0	1950	21.8	56	29.6	56	37.3	56	66.3	1984	0.06	..	..	86	0.12	51	71	0.41	92	10	
12/29 (363-s)	32.5	33.7	-4.0	1961	21.2	56	29.2	56	36.7	56	61.9	1984	0.18	..	..	91	0.13	47	22	0.18	95	10	
12/30 (364-m)	31.1	32.4	-8.0	1983	21.3	56	28.9	56	36.6	56	61.1	1990	0.00	..	..	90	0.13	51	42	0.18	114	10	
12/31 (365-t)	28.0	30.1	-6.0	1963	21.8	55	30.0	55	38.1	55	65.0	1951	0.00	..	..	88	0.09	49	51	0.26	91	8	
Column Min's:	7.5	14.1	-26.9	18.7	27.5	35.8							0.00	..	..	60	0.04		18	0.12	82		
Column Avg's:	25.9	33.4	41.9	22.5	30.6	38.7							0.08	..	..	82	0.10		98	0.46	107		
Column Max's:	50.1	55.8	62.5	26.9	35.0	43.3	74.3						1.11	..	..	92	0.16		225	0.83	145		
Column Tot's:													2.33	..	..	3039	2.99					3307	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION														
	min	avg	max	min	year	avg	max	prec	liq	ly	max	ly/m	avg	Term									
mo	da	Jul	Current	avg	max	min	year	avg	max	prec	liq	prec	snow	evap	hum	avg	pr	Term	ly	max	ly/m	avg	Term
03/01	(060-f)	45.0	53.5	61.7	-2.0	1980	22.2	56	32.4	56	42.6	56	68.0	1976	54	0.09	48	199	0.98	292	10		
03/02	(061-s)	41.7	55.9	62.4	-3.0	1978	23.6	56	34.1	56	44.6	56	64.0	1965	93	0.06	48	85	0.50	247	10		
03/03	(062-s)	25.5	30.2	41.6	-1.0	1943	25.0	56	35.2	56	45.8	56	72.5	1983	99	0.07	48	60	0.23	268	10		
03/04	(063-m)	24.9	31.2	43.4	-2.0	1943	26.7	56	37.3	56	48.1	56	80.9	1983	84	0.16	49	280	1.30	233	10		
03/05	(064-t)	24.5	39.7	53.6	-4.0	1978	27.4	56	37.8	56	48.4	56	78.3	1983	73	0.24	54	409	1.07	243	10		
03/06	(065-w)	35.2	45.8	51.8	-3.0	1978	26.0	56	35.6	56	45.1	56	70.7	1983	88	0.17	51	30	0.17	218	10		
03/07	(066-t)	27.2	32.4	38.6	6.0	1943	25.2	56	34.7	56	44.3	56	76.2	1983	77	0.06	46	317	1.58	333	10		
03/08	(067-f)	20.5	29.4	40.4	-2.0	1943	23.6	56	34.7	56	45.7	56	76.0	1974	68	0.08	49	449	1.12	303	10		
03/09	(068-s)	26.7	34.8	50.7	-11.4	1984	24.3	56	34.8	56	45.7	56	78.0	1974	75	0.06	51	267	1.48	269	10		
03/10	(069-s)	28.5	32.6	38.8	-2.6	1984	25.1	56	35.8	56	46.3	56	72.0	1974	94	0.13	52	118	0.63	276	10		
03/11	(070-m)	22.5	30.5	43.1	3.2	1984	27.2	56	37.0	56	47.0	56	77.7	1990	85	0.11	49	334	1.42	249	10		
03/12	(071-t)	17.5	27.4	34.7	-5.0	1948	27.5	56	38.0	56	48.5	56	76.0	1990	77	0.12	47	148	0.48	245	10		
03/13	(072-w)	28.0	32.8	37.8	2.0	1940	28.9	56	38.7	56	48.6	56	79.7	1990	91	0.12	51	114	0.46	253	10		
03/14	(073-t)	29.2	35.2	44.3	9.0	1948	28.9	56	39.2	56	50.0	56	81.1	1990	80	0.11	51	497	1.23	296	10		
03/15	(074-f)	26.5	34.6	48.0	9.0	1960	29.7	56	39.0	56	48.7	56	79.5	1990	85	0.10	50	403	1.58	254	10		
03/16	(075-s)	22.0	37.9	55.2	12.0	1979	30.1	56	39.5	56	49.2	56	77.0	1945	73	0.07	49	468	1.30	291	10		
03/17	(076-s)	29.6	44.8	61.2	5.0	1941	27.3	56	37.8	56	48.4	56	74.0	1945	73	0.08	47	258	1.37	287	10		
03/18	(077-m)	38.3	44.0	48.7	8.0	1941	26.4	56	36.7	56	47.6	56	70.0	1945	97	0.11	43	47	0.43	205	10		
03/19	(078-t)	35.7	41.9	51.2	11.0	1939	28.2	56	38.7	56	49.4	56	74.0	1948	87	0.14	52	267	1.35	255	9		
03/20	(079-w)	32.0	48.5	64.0	13.0	1956	29.4	56	39.9	56	50.6	56	72.0	1968	72	0.13	53	432	1.40	265	10		
03/21	(080-t)	49.7	61.0	75.7	10.8	1986	30.4	56	40.3	56	50.5	56	78.0	1938	69	0.14	46	382	1.42	361	10		
03/22	(081-f)	55.0	60.7	69.0	13.0	1959	29.9	56	40.1	56	50.5	56	83.0	1938	92	0.13	46	130	1.06	288	10		
03/23	(082-s)	54.2	61.2	69.5	11.0	1940	30.6	56	41.6	56	52.8	56	75.8	1988	71	0.14	52	385	1.45	341	10		
03/24	(083-θ)	39.3	42.6	54.2	10.0	1940	30.9	56	42.3	56	54.3	56	85.0	1939	84	0.08	50	115	1.59	338	10		
03/25	(084-m)	34.7	48.2	62.4	1.0	1974	30.0	56	41.9	56	53.7	56	82.0	1945	72	0.08	51	512	1.21	332	10		
03/26	(085-t)	44.5	50.5	57.1	1.0	1974	31.2	56	41.5	56	51.9	56	75.0	1945	89	0.12	48	94	0.68	337	10		
03/27	(086-w)	54.2	62.9	70.0	13.0	1955	31.3	56	42.4	56	53.9	56	79.2	1989	84	0.09	49	156	0.81	296	10		
03/28	(087-t)	38.9	47.3	56.4	13.0	1955	31.6	56	43.1	56	54.7	56	80.7	1989	65	0.06	54	550	1.26	335	10		
03/29	(088-f)	30.0	36.2	45.9	19.0	1966	34.9	56	46.8	56	58.7	56	79.0	1963	75	0.15	50	241	0.87	273	10		
03/30	(089-s)	24.0	31.3	42.2	17.0	1941	34.8	56	45.4	56	56.5	56	83.8	1986	67	0.13	51	439	1.66	283	10		
03/31	(090-s)	22.5	35.9	50.7	15.0	1969	33.4	56	44.7	56	56.4	56	81.7	1986	81	0.09	50	450	1.33	331	10		
Column Min's:		17.5	27.4	34.7	-11.4		22.2		32.4		42.6				54	0.06		30	0.17	205			
Column Avg's:		33.1	42.0	52.4	28.4		38.9		49.6						80	0.11		279	1.08	284			
Column Max's:		55.0	62.9	75.7	34.9		46.8		58.7				85.0		99	0.24		550	1.66	361			
Column Tot's:																3.42		8636		8797			

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION	
	min	max	min year	max year	precip	evap	ly	max
mo da jul	avg	avg	avgm yrs	avgx yrs	liq	hum %	ly/m	avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term
								avg
								pr yrs
								ly
								avg
								Term

DATE	A I R		T E M P E R A T U R E		(degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION									
	min	avg	max	min	year	avg	max	prec	snow	lyq	max	Long-Term						
mo da jul	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....						
05/01 (121-w)	51.5	59.0	70.5	27.0	1963	44.2	56	68.0	56	86.0	1942	0.02	0.11	51	385	1.79	360	10
05/02 (122-t)	42.0	56.8	68.5	27.0	1978	43.5	56	55.8	56	88.0	1959	0.00	0.09	55	660	1.56	473	10
05/03 (123-f)	41.5	54.2	68.3	30.0	1978	42.1	56	68.0	56	89.0	1955	0.00	0.09	54	661	1.43	393	10
05/04 (124-s)	48.0	56.0	66.9	28.0	1957	42.5	56	55.5	56	90.0	1955	0.00	0.10	52	309	1.54	435	10
05/05 (125-s)	52.6	62.9	75.6	31.0	1957	44.4	56	56.8	56	89.0	1949	0.33	0.07	51	257	1.66	382	10
05/06 (126-m)	45.8	51.9	63.5	28.0	1968	45.8	56	58.7	56	71.5	1959	0.00	0.11	52	182	1.96	429	10
05/07 (127-t)	41.1	54.4	68.2	28.0	1970	44.8	56	56.9	56	87.0	1936	0.01	0.08	52	672	1.53	451	10
05/08 (128-w)	45.3	60.9	77.0	28.0	1947	42.8	56	55.8	56	88.0	1936	0.00	0.09	50	588	1.38	508	10
05/09 (129-t)	54.7	63.1	73.8	28.0	1947	44.8	56	56.9	56	91.0	1936	0.00	0.17	52	367	1.67	467	10
05/10 (130-f)	50.9	66.1	81.7	23.0	1966	45.1	56	57.1	56	69.2	1936	0.00	0.11	51	601	1.48	509	10
05/11 (131-s)	52.6	70.3	86.6	30.0	1945	45.2	56	58.1	56	70.7	1936	0.00	0.14	51	629	1.37	577	10
05/12 (132-s)	57.2	72.8	88.7	29.0	1938	46.1	56	58.8	56	71.3	1991	0.00	0.18	55	610	1.53	477	10
05/13 (133-m)	59.6	74.5	89.4	31.0	1938	47.8	56	59.5	56	71.2	1982	0.00	0.15	50	576	1.49	420	10
05/14 (134-t)	62.6	75.8	92.4	34.0	1936	47.4	56	59.8	56	72.5	1962	0.00	0.16	53	605	1.52	497	10
05/15 (135-w)	56.1	75.6	91.8	35.0	1973	48.1	56	60.6	56	73.0	1962	0.00	0.12	53	653	1.37	406	10
05/16 (136-t)	62.3	73.9	90.7	30.0	1959	48.5	56	60.7	56	73.1	1962	0.64	0.13	51	465	1.41	485	10
05/17 (137-f)	56.8	73.3	85.3	33.1	1954	48.3	56	60.9	56	73.2	1962	0.02	0.13	53	524	1.60	511	10
05/18 (138-s)	52.8	59.0	71.8	34.0	1955	49.4	56	61.2	56	73.5	1962	0.20	0.15	52	389	1.70	446	10
05/19 (139-s)	50.1	64.5	78.6	35.0	1973	50.7	56	62.8	56	75.0	1939	0.00	0.18	53	447	1.76	358	10
05/20 (140-m)	56.3	67.3	81.2	32.0	1945	50.8	56	62.8	56	75.2	1962	0.00	0.13	55	618	1.50	376	10
05/21 (141-t)	55.9	69.7	83.7	37.0	1934	50.0	56	62.7	56	75.5	1941	0.00	0.07	55	633	1.69	383	10
05/22 (142-w)	57.4	73.7	90.0	36.0	1954	51.6	56	63.8	56	76.3	1941	0.00	0.11	53	590	1.53	450	10
05/23 (143-t)	60.9	74.8	90.1	33.0	1963	50.6	56	63.0	56	75.5	1991	0.00	0.12	56	552	1.53	479	10
05/24 (144-f)	65.8	77.0	89.3	32.0	1963	50.5	56	62.9	56	75.1	1991	0.00	0.14	53	544	1.59	558	10
05/25 (145-s)	68.7	79.4	91.9	36.0	1956	51.4	56	63.4	56	75.5	1991	0.00	0.14	50	482	1.77	425	10
05/26 (146-s)	70.9	75.1	82.5	36.2	1988	51.7	56	64.1	56	76.6	1939	0.31	0.13	52	237	1.46	445	10
05/27 (147-m)	68.1	72.8	81.6	31.0	1961	51.9	56	63.8	56	76.1	1987	0.69	0.19	50	310	1.42	500	10
05/28 (148-t)	64.9	78.1	91.9	37.0	1949	52.5	56	64.1	56	75.6	1991	0.00	0.12	55	595	1.52	406	10
05/29 (149-w)	66.7	79.8	91.9	36.0	1949	51.6	55	64.1	55	76.2	1987	0.00	0.06	52	585	1.87	427	10
05/30 (150-t)	71.8	79.4	90.3	36.0	1961	52.7	56	64.9	56	77.5	1988	0.00	0.08	53	511	1.57	459	10
05/31 (151-f)	64.5	77.3	89.9	35.6	1984	53.8	56	66.4	56	79.0	1988	0.71	0.14	50	642	1.65	568	10

Column Min's:	41.1	51.9	63.5	23.0	42.1	55.1	68.0	0.00	0.06	57	0.06	182	1.37	358
Column Avg's:	56.6	68.7	82.1	48.1	60.4	72.8	96.0	0.09	0.12	76	0.12	512	1.58	454
Column Max's:	71.8	79.8	92.4	53.8	66.4	79.0	96.0	0.71	0.19	90	0.19	672	1.96	577
Column Tot's:								2.93	3.79	15879	3.79	14060		

Published jointly by: the Dept. of Agr. Engineering, GARDC; the Statistics Lab, GARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION																	
	min	max	avg	max	prec	evap	Ly	max																
mo da jul	avg	avg	yr	yr	yr	yr	yr	yr																
06/01 (152-s)	65.0	76.9	90.3	40.0	1966	54.9	56	67.1	56	79.0	56	92.1	1988	0.00	..	..	81	0.16	53	637	1.74	511	10	
06/02 (153-s)	65.5	74.0	89.1	36.0	1966	54.1	56	65.8	56	77.6	56	91.0	1951	0.12	..	..	87	0.21	52	473	1.82	435	10	
06/03 (154-m)	63.4	73.2	83.6	40.0	1977	54.0	56	65.5	56	77.0	56	89.0	1942	0.00	..	..	76	0.13	55	700	1.65	563	9	
06/04 (155-t)	57.4	64.2	73.3	38.5	1990	52.7	56	77.5	56	90.0	1942	0.00	..	..	..	..	72	0.10	49	747	1.72	488	10	
06/05 (156-w)	52.3	63.4	75.3	33.8	1990	53.4	56	66.9	56	80.2	56	92.0	1958	0.00	..	..	68	0.07	48	569	1.92	454	10	
06/06 (157-t)	48.2	64.1	80.3	38.0	1945	55.2	56	68.0	56	80.9	56	94.0	1988	0.00	..	..	65	0.15	54	641	1.69	489	10	
06/07 (158-f)	48.5	66.5	82.7	41.0	1958	56.1	56	68.6	56	80.9	56	92.1	1988	0.00	..	..	62	0.14	53	659	1.62	569	10	
06/08 (159-s)	48.2	67.0	84.8	38.0	1977	56.6	56	68.7	56	80.9	56	91.7	1988	0.00	..	..	66	0.13	54	688	1.59	568	10	
06/09 (160-s)	51.3	71.3	88.3	41.9	1988	56.4	56	68.8	56	81.0	56	93.6	1984	0.00	..	..	63	0.23	51	689	1.54	549	10	
06/10 (161-m)	56.6	73.2	85.9	40.9	1988	57.3	55	69.4	55	81.6	56	93.0	1954	0.00	..	..	68	0.14	54	557	1.45	501	10	
06/11 (162-t)	65.7	73.0	85.2	35.0	1972	55.8	56	68.8	56	81.5	56	93.0	1968	0.51	..	..	80	0.15	54	363	1.52	558	10	
06/12 (163-w)	61.6	73.6	85.1	40.0	1972	57.0	55	68.9	55	80.9	56	94.4	1984	0.00	..	..	78	0.18	53	626	1.57	460	10	
06/13 (164-t)	55.5	70.6	84.7	44.0	1980	57.6	56	69.6	56	81.8	56	96.0	1984	0.00	..	..	69	0.21	54	732	1.45	595	10	
06/14 (165-f)	53.1	74.1	90.9	43.0	1959	57.1	56	69.3	56	81.5	56	97.6	1988	0.00	..	..	65	0.16	55	666	1.37	561	10	
06/15 (166-s)	69.1	79.2	90.2	45.0	1942	57.7	56	69.5	56	81.3	56	95.6	1988	0.27	..	..	80	0.13	53	554	1.61	478	9	
06/16 (167-s)	66.6	74.3	84.5	40.0	1961	57.7	56	69.7	56	82.0	56	94.0	1967	0.08	..	..	87	0.15	56	353	1.53	435	9	
06/17 (168-m)	65.0	74.4	85.9	42.0	1980	56.9	56	69.2	56	81.3	56	97.0	1936	0.00	..	..	74	0.13	53	667	1.52	555	10	
06/18 (169-t)	61.9	76.0	90.6	41.0	1980	57.4	55	69.4	55	81.2	56	97.0	1944	0.00	..	..	71	0.16	56	690	1.73	532	9	
06/19 (170-w)	62.7	76.1	90.3	45.0	1959	57.7	56	69.6	56	81.6	56	93.2	1984	0.00	..	..	78	0.11	54	579	1.41	457	10	
06/20 (171-t)	60.3	76.8	93.1	44.9	1982	58.0	56	70.4	56	83.0	56	99.3	1988	0.00	..	..	67	0.10	55	679	1.53	461	10	
06/21 (172-f)	60.5	78.7	95.9	44.0	1940	58.7	56	70.9	56	83.2	56	100.1	1988	0.00	..	..	64	0.17	53	667	1.47	582	10	
06/22 (173-s)	62.2	71.0	83.4	40.0	1943	58.8	56	70.8	56	83.1	56	100.1	1988	0.36	..	..	89	0.07	53	174	1.13	442	10	
06/23 (174-s)	60.6	69.1	81.4	44.0	1943	58.5	56	70.2	56	81.9	56	94.0	1948	0.00	..	..	83	0.16	51	505	1.64	474	10	
06/24 (175-m)	57.8	72.1	85.2	44.8	1982	57.8	56	70.6	56	83.4	56	95.0	1943	0.00	..	..	73	0.07	53	642	1.67	599	10	
06/25 (176-t)	66.8	75.3	86.1	41.0	1979	58.5	56	71.1	56	83.7	56	102.6	1988	0.00	..	..	71	0.17	52	592	1.57	636	10	
06/26 (177-w)	62.8	74.6	89.2	45.0	1979	57.8	55	71.3	55	84.6	56	97.0	1952	0.00	..	..	73	0.14	53	592	1.50	626	10	
06/27 (178-t)	59.3	75.3	90.3	45.5	1988	59.4	56	72.3	56	85.3	56	99.0	1944	0.00	..	..	73	0.14	54	683	1.60	546	10	
06/28 (179-f)	64.5	79.0	92.7	44.8	1988	59.6	56	72.7	56	86.0	56	101.0	1944	0.00	..	..	74	0.12	53	546	1.80	501	10	
06/29 (180-s)	68.9	80.4	93.2	46.0	1938	60.6	56	72.7	56	85.0	56	96.0	1952	0.00	..	..	74	0.15	52	540	1.51	512	10	
06/30 (181-s)	68.8	80.3	96.4	42.2	1988	60.1	56	72.3	56	84.7	56	96.4	1991	0.00	..	..	78	0.09	55	446	1.48	519	10	
Column Min's:	48.2	63.4	73.3	33.8	52.7	65.2	77.0	65.2	52.7	65.2	77.0	102.6	0.00	0.00	0.04	0.07	62	0.07	174	1.13	435	435	9	
Column Avg's:	60.3	73.3	86.9	57.1	69.4	81.8	86.0	69.4	57.1	81.8	86.0	102.6	0.51	0.51	0.23	74	0.14	589	589	1.58	521	521	10	
Column Max's:	69.1	80.4	96.4	60.6	72.7	86.0	86.0	72.7	60.6	86.0	86.0	102.6	1.34	1.34	4.22	89	0.23	747	747	1.92	636	636	10	
Column Tot's:																							17656	15636

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

DATE		AIR T E M P E R A T U R E (degrees Fahrenheit)				WATER BALANCE (inches)				SOLAR RADIATION														
mo	da	min	avg	max	min year	avgm yrs	Long Term	avgm yrs	max year	prec	show	evap	hum	ly	ly/m	Long-Term								
		Current								liq			%			avg yrs								
07/01	(182-m)	65.6	77.2	95.4	40.7	1988	59.8	56	71.9	56	84.4	56	96.0	1941	0.97	..	..	79	0.26	51	595	1.44	475	10
07/02	(183-t)	68.5	75.8	88.6	44.4	1988	59.1	56	71.6	56	84.4	56	98.0	1954	0.58	..	..	85	0.08	52	579	1.72	469	10
07/03	(184-w)	67.9	77.5	90.0	47.9	1988	59.4	56	72.2	56	85.0	56	97.0	1966	0.17	..	..	75	0.15	54	687	1.56	535	10
07/04	(185-t)	68.4	75.3	86.1	44.0	1988	59.8	56	71.9	56	83.9	56	97.0	1966	0.02	..	..	81	0.15	53	522	1.78	545	9
07/05	(186-f)	67.0	76.3	88.1	46.0	1979	60.1	56	71.9	56	84.1	56	100.1	1988	0.00	..	..	74	0.08	51	664	1.64	524	10
07/06	(187-s)	67.9	80.9	93.1	45.0	1972	59.6	56	71.9	56	84.3	56	101.4	1988	0.00	..	..	76	0.07	52	630	1.54	544	10
07/07	(188-s)	71.9	82.7	92.6	45.8	1983	59.1	56	71.9	56	84.9	56	103.3	1988	0.03	..	..	78	0.07	53	500	1.54	571	10
07/08	(189-m)	67.7	75.0	86.2	45.1	1984	60.3	55	73.0	55	85.9	56	104.2	1988	0.23	..	..	86	0.08	54	345	1.74	586	10
07/09	(190-t)	61.4	71.3	82.4	48.0	1954	61.4	56	73.5	56	86.1	56	106.0	1936	0.00	..	..	84	0.15	55	395	1.21	450	10
07/10	(191-w)	62.4	73.5	85.1	44.0	1963	61.6	56	73.8	56	86.1	56	102.0	1936	0.00	..	..	79	0.16	53	447	1.56	537	10
07/11	(192-t)	58.0	74.4	89.8	46.0	1945	60.3	56	73.0	56	86.1	56	104.0	1936	0.09	..	..	68	0.12	51	626	1.60	437	10
07/12	(193-f)	62.8	72.4	83.2	47.0	1978	60.5	56	72.8	56	85.4	56	104.0	1936	0.09	..	..	87	0.11	55	276	1.48	450	10
07/13	(194-s)	64.8	74.2	85.2	45.0	1940	60.9	56	72.9	56	85.0	56	103.0	1936	0.00	..	..	82	0.16	53	522	1.63	471	10
07/14	(195-s)	60.5	72.6	85.0	46.0	1950	61.0	56	73.5	56	86.1	56	106.0	1936	0.00	..	..	73	0.15	53	558	1.70	479	10
07/15	(196-m)	53.9	71.8	87.7	49.0	1939	60.2	56	72.7	56	85.2	56	103.4	1988	0.00	..	..	62	0.10	53	720	1.43	527	10
07/16	(197-t)	52.6	72.9	91.3	45.0	1946	61.0	56	73.5	56	86.1	56	100.7	1988	0.00	..	..	58	0.08	56	710	1.43	588	10
07/17	(198-w)	55.9	75.1	92.5	47.0	1939	60.4	56	73.3	56	86.3	56	98.0	1936	0.00	..	..	65	0.11	54	676	1.42	574	10
07/18	(199-t)	60.5	78.1	94.2	49.0	1976	61.3	56	73.5	56	85.8	56	94.2	1991	0.00	..	..	66	0.14	54	655	1.40	544	10
07/19	(200-f)	62.2	79.2	94.2	46.0	1979	62.3	56	74.4	56	86.6	56	94.2	1991	0.00	..	..	71	0.16	55	510	1.33	484	9
07/20	(201-s)	67.4	81.7	95.9	47.0	1947	62.0	56	74.0	56	86.0	56	95.9	1991	0.00	..	..	72	0.24	54	501	1.34	412	10
07/21	(202-s)	70.7	83.1	96.8	45.0	1970	61.2	56	72.9	56	85.0	56	97.4	1983	0.00	..	..	69	0.16	53	552	1.58	506	10
07/22	(203-m)	72.7	83.7	98.7	47.0	1970	61.9	56	73.7	56	86.0	56	98.7	1991	0.01	..	..	69	0.14	55	469	1.62	423	10
07/23	(204-t)	65.7	79.8	92.0	46.0	1947	62.0	56	74.0	56	86.1	56	95.5	1984	0.00	..	..	73	0.17	55	451	1.59	567	10
07/24	(205-w)	59.8	72.6	86.8	46.0	1947	61.6	56	73.7	56	85.9	56	99.0	1940	0.00	..	..	62	0.09	52	584	1.76	551	10
07/25	(206-t)	64.3	75.2	90.5	50.0	1953	61.3	56	73.9	56	86.8	56	98.0	1940	0.00	..	..	59	0.11	54	635	1.62	505	10
07/26	(207-f)	59.3	71.3	87.5	49.0	1946	61.7	56	73.4	56	85.5	56	99.0	1941	0.00	..	..	68	0.06	54	614	1.81	439	10
07/27	(208-s)	55.1	69.3	85.0	46.0	1962	61.6	56	74.1	56	87.0	56	103.0	1936	0.00	..	..	59	0.15	54	652	1.71	525	10
07/28	(209-s)	50.6	67.5	84.0	48.0	1937	62.2	56	74.3	56	86.4	56	98.0	1941	0.00	..	..	64	0.17	54	411	1.46	498	10
07/29	(210-m)	60.4	72.2	82.9	51.3	1982	62.2	55	73.8	55	85.4	55	97.0	1940	0.01	..	..	80	0.14	52	481	1.35	569	10
07/30	(211-t)	56.2	69.3	80.7	49.0	1956	60.9	56	72.6	56	84.6	56	98.0	1940	0.00	..	..	75	0.09	56	487	1.69	478	10
07/31	(212-w)	51.2	70.9	90.1	48.0	1936	60.9	55	72.5	55	84.5	55	95.0	1955	0.00	..	..	58	0.09	54	675	1.40	454	10
Column Min's:		50.6	67.5	80.7	40.7		59.1		71.6		83.9				0.00			58	0.06		276	1.21	412	
Column Avg's:		62.4	75.3	89.1			60.9		73.1		85.5				0.07			72	0.13		553	1.55	507	
Column Max's:		72.7	83.7	98.7			62.3		74.4		87.0		106.0		0.97			87	0.26		720	1.81	588	
Column Tot's:															2.11				3.99		1719			15717

Published jointly by: the Dept. of Agr. Engineering, DARDG; the Statistics Lab, DARDG; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.



DATE	AIR		TEMPERATURE (degrees Fahrenheit)		WATER BALANCE (inches)		SOLAR RADIATION													
	min	max	avg	max	liq	proc	max	Long-Term												
mo da jul	avg	max	min	year	year	year	ly	avg yrs												
09/01 (244-s)	55.1	84.3	42.0	1963	57.3	56	69.7	56	82.3	56	95.0	1953	0.00	59	0.10	54	595	1.32	412	10
09/02 (245-m)	46.2	88.1	41.0	1946	56.9	56	69.4	56	82.1	56	97.0	1953	0.00	54	0.14	55	574	1.29	394	10
09/03 (246-t)	55.6	71.7	41.0	1946	56.5	56	68.9	56	81.6	56	97.0	1953	0.37	81	0.12	52	312	1.27	391	10
09/04 (247-w)	58.6	69.2	42.0	1946	57.7	56	69.9	56	82.4	56	94.0	1938	0.30	80	0.09	56	298	1.27	428	10
09/05 (248-t)	49.8	85.9	42.0	1974	56.7	56	69.0	56	81.6	56	99.0	1954	0.00	68	0.11	54	528	1.31	423	10
09/06 (249-f)	50.5	88.0	40.0	1962	55.4	56	68.1	56	81.3	56	100.0	1954	0.00	63	0.09	55	537	1.22	389	10
09/07 (250-s)	51.2	89.3	38.0	1988	55.1	54	67.5	54	79.9	54	100.0	1939	0.00	63	0.06	53	518	1.21	323	7
09/08 (251-s)	54.6	72.7	37.0	1956	54.2	55	67.8	55	81.8	55	99.0	1939	0.00	58	0.04	54	504	1.24	470	9
09/09 (252-m)	61.6	73.7	37.9	1986	55.3	55	68.3	55	81.6	55	95.0	1964	0.29	80	0.04	53	204	1.12	368	9
09/10 (253-t)	66.0	77.2	40.0	1943	55.5	56	67.5	56	80.0	56	98.2	1983	0.01	75	0.07	55	354	1.51	334	10
09/11 (254-w)	58.9	69.7	38.0	1967	53.0	56	65.5	56	78.3	56	96.0	1964	0.00	73	0.08	55	458	1.51	361	10
09/12 (255-t)	56.8	83.6	39.0	1943	52.8	56	65.0	56	77.4	56	91.0	1961	0.04	82	0.11	56	147	0.84	293	10
09/13 (256-f)	62.1	75.9	37.0	1964	53.7	56	66.0	56	78.6	56	97.0	1939	0.00	75	0.08	56	418	1.27	379	10
09/14 (257-s)	64.8	76.9	34.0	1964	53.2	55	65.6	55	78.2	55	102.0	1939	0.00	76	0.23	51	361	1.21	315	9
09/15 (258-s)	68.7	80.6	34.0	1975	52.6	56	64.7	56	77.1	56	101.0	1939	0.00	69	0.09	52	602	1.23	333	10
09/16 (259-m)	72.7	81.0	37.0	1966	51.0	56	63.7	56	76.6	56	100.0	1939	0.01	69	0.04	52	660	1.15	325	10
09/17 (260-t)	60.9	70.4	34.9	1984	51.3	56	63.1	56	75.4	56	94.0	1955	0.00	64	0.04	54	467	1.37	412	10
09/18 (261-w)	55.4	65.0	32.0	1959	51.0	56	63.8	56	76.8	56	95.0	1955	0.08	74	0.08	54	179	1.37	320	10
09/19 (262-t)	45.0	55.2	37.0	1959	53.3	56	64.7	56	76.6	56	95.0	1955	0.01	63	0.12	52	404	1.58	318	10
09/20 (263-f)	36.7	48.2	33.0	1937	52.2	55	64.2	55	76.5	55	93.0	1940	0.00	66	0.10	52	511	1.39	362	9
09/21 (264-s)	32.1	49.9	30.0	1956	51.5	54	63.6	54	76.0	54	93.0	1940	0.00	64	0.14	49	499	1.18	370	8
09/22 (265-s)	39.9	58.1	36.0	1976	50.3	55	62.6	55	75.1	55	91.2	1984	0.46	71	0.09	49	364	1.39	307	9
09/23 (266-m)	42.4	58.6	32.0	1967	48.3	55	60.5	55	73.3	55	91.0	1937	0.07	70	0.12	53	455	1.18	295	9
09/24 (267-t)	39.2	52.9	31.2	1983	47.0	56	59.8	56	72.8	56	92.0	1939	0.03	77	0.11	54	267	1.24	280	7
09/25 (268-w)	43.1	56.0	32.0	1942	47.2	56	59.7	56	72.2	56	90.0	1939	0.00	68	0.07	51	610	1.21	376	10
09/26 (269-t)	36.2	52.7	32.0	1940	45.9	56	58.9	56	72.0	56	87.9	1986	0.00	63	0.10	53	368	1.44	346	10
09/27 (270-f)	34.3	49.4	32.0	1947	46.7	55	60.0	55	73.6	55	87.0	1954	0.00	59	0.12	53	463	1.19	345	9
09/28 (271-s)	33.8	51.7	31.0	1942	45.6	55	59.1	55	73.1	55	90.0	1939	0.00	63	0.11	53	310	1.23	340	9
09/29 (272-s)	49.1	58.9	28.0	1942	46.1	55	59.0	55	72.3	56	97.0	1953	0.00	63	0.06	56	325	1.19	313	9
09/30 (273-m)	47.7	63.8	30.0	1963	46.0	56	58.8	56	72.1	56	92.0	1953	0.00	55	0.10	53	324	1.44	286	10
Column Min's:	32.1	48.2	28.0	45.6	45.6	50.8	72.0	0.00	54	0.04	147	0.84	280							
Column Avg's:	51.0	64.7	79.7	52.0	64.5	77.3	0.06	68	0.10	403	1.28	354								
Column Max's:	72.7	81.0	95.4	57.7	69.9	82.4	0.46	82	0.23	595	1.58	470								
Column Tot's:							1.67		2.85	12096	10608									

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.  
 These data are provided as a public service solely for informational use.

