

DATE	AIR T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	prec	evap	max	Long-Term
mo da	avg	avg	mm	mm	kw/m ²	avg yrs
01/01 (001-s)	-3.6	3.1	0.5	..	2016	0.16 4855 13
01/02 (002-s)	-2.0	1.3	0.0	..	1931	0.15 4899 13
01/03 (003-m)	-3.5	-0.4	0.8	..	3080	0.28 3037 12
01/04 (004-t)	-8.6	-4.2	0.5	..	3120	0.19 5006 13
01/05 (005-w)	-8.0	-6.4	0.8	..	8110	0.69 5403 13
01/06 (006-t)	-6.9	-1.2	1.0	..	1638	0.09 3636 13
01/07 (007-f)	-8.0	-3.6	0.8	..	2827	0.26 4865 12
01/08 (008-s)	-17.7	-13.1	0.0	..	6769	0.63 5776 13
01/09 (009-s)	-16.7	-10.8	0.0	..	9426	0.59 5453 13
01/10 (010-m)	-15.4	-7.7	0.0	..	7258	0.63 4869 13
01/11 (011-t)	-2.8	1.1	0.5	..	2438	0.24 5918 13
01/12 (012-w)	0.2	1.2	0.0	..	3855	0.24 4797 13
01/13 (013-t)	-3.9	-0.6	0.0	..	1144	0.07 4845 13
01/14 (014-f)	-18.0	-11.1	0.0	..	7973	0.61 4760 13
01/15 (015-s)	-22.1	-19.6	0.0	..	9592	0.52 7026 13
01/16 (016-s)	-24.4	-17.7	0.0	..	6508	0.49 6949 13
01/17 (017-m)	-19.9	-9.2	3.8	..	3214	0.24 3774 13
01/18 (018-t)	-28.4	-24.4	0.0	..	3806	0.18 5610 13
01/19 (019-w)	-32.7	-24.8	0.0	..	4940	0.34 6513 13
01/20 (020-t)	-25.8	-18.0	3.8	..	3601	0.20 5877 13
01/21 (021-f)	-30.2	-17.4	0.8	..	5417	0.64 6739 13
01/22 (022-s)	-12.3	-7.4	0.0	..	8318	0.71 5298 12
01/23 (023-s)	-3.7	1.1	0.0	..	2724	0.17 5991 13
01/24 (024-m)	1.6	2.9	0.0	..	2409	0.16 5857 13
01/25 (025-t)	-3.9	1.1	13.5	..	1413	0.09 5941 12
01/26 (026-w)	-8.0	-5.9	0.0	..	9000	0.58 7766 13
01/27 (027-t)	-3.9	1.7	17.0	..	1131	0.10 8098 12
01/28 (028-f)	-2.3	3.3	18.8	..	2196	0.66 7214 13
01/29 (029-e)	-10.9	-3.6	0.3	..	4000	0.56 5443 12
01/30 (030-s)	-11.5	-6.2	0.3	..	5466	0.60 5126 13
01/31 (031-m)	-12.5	-8.2	0.0	..	6011	0.52 6330 13
Column Min's:	-32.7	-24.8	0.0	..	1131	0.07 3037
Column Avgr's:	-11.8	-6.8	2.0	..	4559	0.37 5602
Column Max's:	1.6	3.3	18.8	..	9592	0.71 8098
Column Tot's:			63.2	..	141331	173671

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A J R		T E M P E R A T U R E		(degrees Celsius)		WATER BALANCE		SOLAR RADIATION									
	min	avg	min	year	avg	yr	prec	evap	max	Log-Tm								
02/01 (032-t)	-20.4	-14.7	-23.3	1978	-8.7	59	1.3	59	10.7	1989	0.3	58	2.02	48	12145	0.73	7585	13
02/02 (033-w)	-18.3	-8.1	-25.6	1951	-8.3	59	3.3	59	14.4	1968	0.0	62	2.86	53	10258	0.65	6772	13
02/03 (034-t)	-12.8	-8.3	-26.7	1985	-8.7	59	3.5	59	13.4	1991	0.0	46	1.66	54	12951	0.61	6140	13
02/04 (035-f)	-11.2	-3.5	-28.3	1985	-8.0	59	2.9	59	15.6	1991	0.0	56	2.08	52	8191	0.77	6848	13
02/05 (036-s)	-6.8	-3.4	-22.8	1979	-7.7	58	2.2	59	16.0	1938	0.0	44	1.06	54	9966	0.68	7467	13
02/06 (037-s)	-10.5	-1.6	-25.6	1977	-7.4	59	2.4	59	13.9	1964	0.0	58	2.50	55	13485	0.58	8472	13
02/07 (038-m)	-7.3	-4.9	-25.6	1977	-7.8	59	3.1	59	12.2	1938	0.0	66	1.82	52	6855	0.48	7624	13
02/08 (039-t)	-10.2	-7.7	-25.6	1977	-8.4	59	3.1	59	21.7	1937	0.0	79	0.66	54	2576	0.19	8079	13
02/09 (040-w)	-12.6	-11.2	-26.7	1977	-8.6	59	3.4	59	21.1	1937	0.0	65	1.42	50	6482	0.46	7996	13
02/10 (041-t)	-15.2	-10.6	-25.0	1979	-8.2	59	2.9	59	16.5	1993	1.0	50	2.88	52	11357	0.74	9960	13
02/11 (042-f)	-10.9	-6.6	-24.4	1979	-7.9	59	2.5	59	17.2	1965	0.0	60	2.13	54	7262	0.48	7433	13
02/12 (043-s)	-11.3	-3.4	-21.1	1978	-7.7	59	2.3	59	19.7	1984	0.0	87	2.00	48	3997	0.23	8060	13
02/13 (044-s)	-5.5	-1.9	-22.2	1979	-6.3	59	1.2	59	20.6	1938	0.5	75	3.60	52	6612	0.58	7011	13
02/14 (045-m)	-7.8	0.3	-18.9	1979	-5.9	59	0.8	59	18.3	1950	0.0	59	2.29	51	15022	0.64	7445	13
02/15 (046-t)	-2.9	2.6	-23.9	1978	-6.3	59	1.2	59	20.6	1954	0.0	56	3.02	53	14211	0.65	8031	13
02/16 (047-w)	-5.7	-0.5	-23.9	1978	-6.7	59	1.3	59	17.5	1990	0.0	78	1.53	51	14283	0.78	8513	13
02/17 (048-t)	-3.8	2.5	-23.9	1979	-5.5	59	1.0	59	16.1	1976	0.0	67	1.73	52	11074	0.56	7465	13
02/18 (049-f)	-1.3	7.0	-23.9	1979	-6.4	59	0.8	59	16.9	1994	0.0	47	1.69	54	14273	0.64	9706	13
02/19 (050-s)	5.3	11.2	-23.9	1936	-5.3	59	0.3	59	20.6	1939	0.0	43	1.71	54	13264	0.65	8860	13
02/20 (051-s)	6.2	11.4	-23.9	1936	-5.5	59	0.4	59	18.3	1939	0.0	67	2.24	43	3948	0.26	8437	13
02/21 (052-m)	-1.5	3.3	-21.1	1978	-5.8	59	0.6	59	20.1	1983	0.0	99	2.99	51	3137	0.24	8611	13
02/22 (053-t)	-4.7	-1.4	-23.9	1963	-5.0	59	0.2	59	20.2	1983	4.1	74	2.33	50	4222	0.28	8205	13
02/23 (054-w)	0.2	5.4	-20.6	1978	-5.1	59	0.1	59	18.3	1984	9.4	91	2.57	51	5197	0.72	9325	13
02/24 (055-t)	-6.0	-3.8	-19.4	1978	-4.8	59	0.3	59	21.7	1961	0.3	57	2.56	50	9358	0.83	9480	13
02/25 (056-f)	-11.3	-4.8	-19.3	1993	-5.4	59	0.5	59	22.8	1957	1.8	67	2.69	54	5806	0.47	10347	13
02/26 (057-s)	-15.1	-9.7	-22.2	1963	-5.7	59	0.4	59	22.2	1944	0.0	62	3.98	48	10532	0.93	10308	13
02/27 (058-s)	-16.8	-10.2	-22.2	1963	-5.7	59	0.6	59	17.2	1976	0.0	55	1.57	52	17878	0.86	10118	13
02/28 (059-m)	-12.0	-4.6	-20.2	1993	-5.4	59	0.0	59	18.3	1939	0.0	49	1.41	51	9663	0.62	11861	13

Column Min's: -20.4 -14.7 -8.6 -28.3
 Column Avg's: -8.2 -2.8 2.9
 Column Max's: 6.2 11.4 19.3
 Column Tot's:

2576 0.19 6140
 9429 0.58 8434
 17878 0.93 11861
 264005 236159

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A J R		T E M P E R A T U R E		W A T E R B A L A N C E		S O L A R R A D I A T I O N											
	min	avg	min	max	prec	evap	max	avg										
11/01 (305-t)	3.1	6.9	5.0	15.4	4.4	59	16.8	59	26.1	1950	5.6	77	2.25	57	1216	0.10	6992	13
11/02 (306-w)	-1.5	7.1	-6.7	14.9	4.3	59	15.6	59	26.1	1938	0.0	51	4.07	52	12543	0.58	7136	13
11/03 (307-t)	6.9	14.0	-8.1	20.1	2.5	59	8.6	58	26.2	1987	0.0	30	3.41	54	5677	0.66	6950	13
11/04 (308-f)	14.4	17.6	-8.9	21.9	2.3	59	7.5	59	25.0	1938	0.0	40	1.83	51	4083	0.35	4816	13
11/05 (309-s)	13.0	16.4	-10.8	20.9	1.9	59	7.1	58	23.9	1964	7.4	62	2.73	54	3511	0.43	4978	13
11/06 (310-s)	5.5	11.5	-8.3	17.6	0.8	59	6.1	59	25.0	1977	0.0	64	1.52	54	1650	0.24	5622	13
11/07 (311-m)	-2.2	6.0	-8.9	13.6	0.6	59	6.2	59	25.6	1938	0.0	55	2.19	56	11207	0.57	6225	13
11/08 (312-t)	4.8	12.0	-11.1	20.8	1.1	59	6.4	59	22.8	1945	0.0	45	2.16	54	8871	0.73	7703	13
11/09 (313-w)	6.1	11.7	-11.5	15.0	0.4	59	5.7	58	22.2	1975	15.0	80	2.59	52	843	0.13	6051	13
11/10 (314-t)	2.3	6.8	-7.4	12.4	0.6	59	6.1	59	23.3	1975	1.8	59	4.17	55	11804	0.56	6151	12
11/11 (315-f)	-3.0	3.7	-8.3	11.7	-0.3	59	5.4	59	21.1	1938	0.0	52	1.80	52	11787	0.55	5537	13
11/12 (316-e)	-0.8	7.2	-7.2	15.4	0.1	59	5.5	59	22.2	1945	0.0	46	1.95	57	4791	0.63	6246	13
11/13 (317-s)	4.3	12.3	-10.8	19.6	0.3	59	5.8	59	23.9	1955	0.0	58	1.80	55	9641	0.57	7284	13
11/14 (318-m)	-11.9	19.6	-0.2	58	5.6	58	20.0	1958	2.84	57	7266	12
11/15 (319-t)	-8.9	19.6	0.6	58	6.0	58	21.9	1990	2.19	53	4934	12
11/16 (320-w)	7.1	7.5	-9.4	11.0	0.1	59	5.7	59	22.8	1971	0.0	88	3.87	54	4354	0.61	5165	13
11/17 (321-t)	2.6	8.9	-10.6	15.1	-0.3	59	5.2	59	23.9	1958	0.0	80	2.33	57	10221	0.51	6796	13
11/18 (322-f)	5.8	10.6	-12.8	16.7	-0.1	59	5.4	59	22.8	1954	0.0	75	2.03	55	7509	0.68	4993	13
11/19 (323-s)	-2.5	5.2	-8.3	12.0	0.6	59	5.8	59	21.9	1985	0.0	66	2.31	52	7654	0.68	5003	13
11/20 (324-s)	5.6	10.3	-10.0	16.0	-0.1	59	5.0	59	23.9	1942	0.0	54	4.24	52	4513	0.47	5537	13
11/21 (325-m)	6.1	12.6	-10.6	16.2	-0.9	59	4.0	59	18.3	1953	0.0	57	2.48	54	7205	0.57	6318	13
11/22 (326-t)	-3.3	0.9	-12.8	16.4	-1.2	59	3.4	59	19.4	1979	0.0	60	1.12	52	7900	0.59	5372	13
11/23 (327-w)	-4.5	-0.1	-12.2	13.7	-1.7	59	3.1	59	18.9	1963	0.0	58	2.97	52	10241	0.55	5591	13
11/24 (328-t)	-6.1	1.4	-15.0	15.0	-2.6	59	2.4	59	17.8	1968	0.0	67	2.29	52	10454	0.50	5100	12
11/25 (329-f)	-3.5	4.6	-15.0	10.1	-3.0	59	3.0	59	17.8	1987	0.0	56	2.13	54	9037	0.51	6270	13
11/26 (330-s)	-5.5	0.4	-10.6	15.0	-1.8	59	3.2	59	19.1	1990	0.0	67	3.98	55	9375	0.60	5417	13
11/27 (331-s)	0.8	6.5	-12.2	13.8	-1.4	59	3.4	59	22.6	1990	18.5	77	3.58	57	894	0.11	3127	13
11/28 (332-m)	4.4	7.8	-14.4	15.5	-1.8	59	2.9	59	19.6	1990	4.3	65	2.59	53	6949	0.65	2888	13
11/29 (333-t)	-2.0	3.7	-13.3	15.5	-3.4	59	1.0	59	18.6	1991	0.0	53	2.18	51	9335	0.48	4805	13
11/30 (334-w)	-5.6	-0.2	-20.0	15.8	-4.1	59	0.4	59	18.7	1991	0.0	73	1.24	48	7536	0.54	5104	13

Column Min's: -6.1 0.2 5.1 -20.0 -4.1 0.4 4.8 0.0 1.12 2888
 Column Avg's: 1.9 7.6 14.1 -0.1 5.2 10.5 1.9 2.56 7179 0.51 5715
 Column Max's: 14.4 17.6 21.9 4.4 10.4 16.8 26.2 4.24 12543 0.73 7703
 Column Totals: 76.84 201001 171457

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A F R T E M P E R A T U R E (degrees Celsius)		WATER BALANCE (mm)		SOLAR RADIATION		
	min	max	prec	evap	max	Long-Term	
mo da jul	avg	avg	mm	mm	KJ	kw/m ² avg yrs	
12/01 (335-t)	-0.9	6.2	0.0	74	8462	0.47	4610
12/02 (336-f)	-1.2	5.8	0.0	52	9037	0.47	4223
12/03 (337-s)	3.7	10.0	0.0	61	7293	0.54	4261
12/04 (338-s)	9.3	12.6	5.8	86	3418	0.26	4171
12/05 (339-m)	10.5	12.3	0.0	100	1596	0.13	3254
12/06 (340-t)	8.6	9.9	1.0	100	963	0.07	3745
12/07 (341-w)	-0.1	6.1	5.6	96	987	0.12	5400
12/08 (342-t)	-3.5	-0.2	0.0	77	6661	0.55	5493
12/09 (343-f)	-1.0	1.8	12.7	92	706	0.07	4916
12/10 (344-s)	-1.1	0.9	14.0	97	1023	0.09	3225
12/11 (345-s)	-4.4	-3.1	0.3	82	2951	0.23	3674
12/12 (346-m)	-8.1	-3.9	0.0	80	6450	0.61	4857
12/13 (347-t)	-5.8	-4.0	0.0	88	6564	0.62	4117
12/14 (348-w)	-6.9	-3.0	0.0	87	8038	0.57	5206
12/15 (349-t)	-4.5	1.2	0.0	94	4641	0.56	3682
12/16 (350-f)	0.7	5.5	10.4	97	2035	0.16	3902
12/17 (351-s)	0.2	4.2	0.3	93	1498	0.10	3945
12/18 (352-b)	0.5	1.9	0.0	93	1170	0.23	4244
12/19 (353-m)	-3.4	0.5	0.0	86	3366	0.40	4225
12/20 (354-t)	-3.8	1.2	0.0	82	7617	0.44	5056
12/21 (355-w)	-4.2	2.0	0.0	78	8133	0.43	4632
12/22 (356-t)	-4.3	1.5	0.0	87	7625	0.42	5260
12/23 (357-f)	-2.3	1.8	0.0	94	5936	0.58	5140
12/24 (358-s)	-0.4	2.3	0.0	94	1087	0.08	4892
12/25 (359-s)	-3.2	-1.2	0.0	97	3757	0.30	4308
12/26 (360-m)	-2.1	1.0	0.0	94	5253	0.59	5353
12/27 (361-t)	-2.9	1.2	0.0	98	4090	0.41	4322
12/28 (362-w)	2.0	2.2	0.0	91	5433	0.58	4037
12/29 (363-t)	-4.1	0.6	0.0	73	6266	0.52	4075
12/30 (364-f)	-7.1	0.4	0.0	44	7904	0.49	5021
12/31 (365-s)	0.3	6.4	1.8	75	1313	0.15	3400

Column	Min's	Avg's	Max's	Tel's
Column Min's:	-8.1	4.0	1.0	-32.7
Column Avg's:	-1.2	2.4	6.9	-0.7
Column Max's:	10.5	12.6	17.1	-2.7
Column Tel's:				

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

Column	Min's	Avg's	Max's	Tel's
Column Min's:	0.0	1.10	706	0.07
Column Avg's:	1.7	2.41	4557	0.36
Column Max's:	14.0	3.92	9037	0.62
Column Tel's:	51.9	74.74	141273	136846

DATE	A J R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION															
	min	avg	min	year avg	prec	snok	evap	hum	max	Lng-Trm												
mo da jul	avg	max	min	year avg	prec	snok	evap	hum	KJ	avg yrs												
03/01 (060-t)	-2.9	-0.7	2.7	-18.9	1980	-5.5	59	0.3	59	6.1	59	20.0	1976	0.0	0.0	65	2.19	51	7892	0.63	12601	13
03/02 (061-w)	-3.8	-1.3	1.3	-19.4	1978	-4.5	59	1.4	59	7.2	59	22.3	1992	0.0	0.0	67	1.51	51	3679	0.26	10127	13
03/03 (062-t)	-5.3	0.7	7.7	-18.3	1943	-3.8	59	1.9	59	7.9	59	22.5	1983	0.0	0.0	60	1.67	51	16963	0.80	11606	13
03/04 (063-f)	-1.8	2.4	5.6	-18.9	1943	-2.8	59	3.1	59	9.1	59	27.1	1983	0.0	0.0	84	4.30	52	3826	0.28	9131	13
03/05 (064-s)	-4.1	2.5	10.4	-20.0	1978	-2.4	59	3.3	59	9.2	59	25.7	1983	0.0	0.0	75	5.83	57	15833	0.94	10040	13
03/06 (065-s)	0.1	8.1	19.5	-19.4	1978	-3.1	59	2.3	59	7.6	59	21.5	1983	0.0	0.0	60	4.49	54	10801	0.86	9610	13
03/07 (066-m)	1.4	5.9	10.4	-14.4	1943	-3.4	59	1.8	59	7.2	59	24.6	1983	3.0	0.0	91	1.82	49	3967	0.37	12362	13
03/08 (067-t)	-3.3	0.3	2.9	-18.9	1943	-4.4	59	1.6	59	7.6	59	24.4	1974	0.0	0.0	57	2.07	52	9563	0.71	11047	13
03/09 (068-w)	-3.5	-2.5	-1.4	-24.1	1984	-4.1	59	1.6	59	7.6	59	25.6	1974	5.1	0.0	77	1.46	54	3032	0.18	10002	13
03/10 (069-t)	-6.7	-2.8	1.9	-19.2	1984	-3.9	59	2.1	59	8.0	59	22.2	1974	8.6	0.0	65	3.52	55	18001	0.85	10772	13
03/11 (070-f)	-8.4	-2.7	3.7	-16.0	1984	-2.9	59	2.5	59	7.9	59	25.4	1990	0.0	0.0	59	2.57	52	20148	0.81	11199	13
03/12 (071-s)	-9.2	0.6	8.4	-20.6	1948	-2.7	59	3.1	59	8.9	59	24.4	1990	0.0	0.0	58	2.98	50	19020	0.81	11399	13
03/13 (072-s)	-0.3	3.5	7.3	-16.7	1960	-2.0	59	3.4	59	8.8	59	26.5	1990	3.6	0.0	75	2.86	54	4242	0.30	9664	13
03/14 (073-m)	-1.2	3.0	6.6	-14.4	1993	-2.0	59	3.6	59	9.5	59	27.3	1990	0.3	0.0	79	2.74	54	7746	0.70	12068	13
03/15 (074-t)	-1.1	5.7	12.0	-17.4	1993	-1.7	59	3.6	59	9.1	59	26.4	1990	0.0	0.0	58	2.46	53	16419	0.98	12319	13
03/16 (075-w)	-5.4	-2.9	0.8	-12.8	1992	-1.3	59	3.9	59	9.3	59	25.0	1945	0.0	0.0	40	1.65	52	13845	1.13	12372	13
03/17 (076-t)	-9.8	-2.4	4.4	-15.0	1941	-2.8	59	3.1	59	9.0	59	23.3	1945	0.3	0.0	36	2.03	50	19782	0.83	11589	13
03/18 (077-f)	-0.7	2.1	8.6	-13.3	1941	-3.2	59	2.4	59	8.4	59	21.1	1945	3.6	0.0	69	3.35	46	3530	0.91	8646	13
03/19 (078-b)	-4.5	1.0	8.5	-11.7	1939	-2.3	59	3.6	59	9.5	59	23.3	1948	0.0	0.0	61	3.41	55	20508	0.94	11510	12
03/20 (079-e)	-4.1	5.8	14.6	-10.6	1956	-1.5	59	4.3	59	10.2	59	22.2	1968	0.0	0.0	55	3.25	56	17488	0.89	10959	13
03/21 (080-m)	-0.1	9.1	16.0	-11.8	1986	-0.9	59	4.6	59	10.2	59	25.6	1938	3.6	0.0	76	3.44	49	2347	0.28	13839	13
03/22 (081-t)	-0.9	8.4	17.2	-10.6	1959	-1.1	59	4.5	59	10.3	59	28.3	1938	0.0	0.0	53	3.05	49	20819	0.82	12105	13
03/23 (082-w)	1.5	14.1	24.5	-11.7	1940	-0.8	59	5.5	59	11.7	59	24.5	1994	0.0	0.0	30	3.64	55	19898	0.91	14056	13
03/24 (083-t)	2.1	15.5	22.8	-12.2	1940	-0.6	59	5.9	59	12.5	59	29.4	1939	0.0	0.0	39	1.86	53	16799	0.97	13998	13
03/25 (084-f)	-3.7	0.2	2.2	-17.2	1974	-1.1	59	5.4	59	11.9	59	27.8	1945	0.0	0.0	58	2.12	54	6668	0.35	12826	13
03/26 (085-e)	-4.8	2.2	8.8	-17.2	1974	-0.4	59	5.3	59	11.2	59	23.9	1945	1.8	0.0	57	2.87	51	13666	0.82	14178	13
03/27 (086-e)	3.1	5.8	8.7	-10.6	1955	-0.4	59	5.7	59	12.0	59	26.2	1989	6.6	0.0	96	2.38	52	2741	0.28	10651	13
03/28 (087-m)	2.9	6.2	12.0	-10.6	1955	-0.1	59	6.1	59	12.5	59	27.0	1989	2.5	0.0	66	1.57	57	14431	0.89	13954	13
03/29 (088-t)	-0.2	2.9	6.2	-7.2	1966	1.6	59	8.0	59	14.5	59	26.1	1963	0.5	0.0	73	3.78	53	10953	1.00	10435	13
03/30 (089-w)	-3.2	2.2	8.2	-8.3	1941	1.5	59	7.3	59	13.4	59	28.8	1986	0.0	0.0	55	3.16	54	14150	1.08	11228	13
03/31 (090-t)	-3.6	3.6	12.6	-9.4	1969	0.8	59	7.1	59	13.6	59	27.6	1986	0.0	0.0	48	2.27	53	21534	0.88	14693	13
Column Min's:	-9.8	-2.9	-1.4	-24.1		-5.5		0.3		6.1		29.4		0.0	0.0	30	1.46		2347	0.18	8646	
Column Avg's:	-2.6	3.1	8.9	-2.0		-2.0		3.8		9.7				1.3	0.0	63	2.78		12267	0.72	11645	
Column Max's:	3.1	15.5	24.5	1.6		1.6		8.0		14.5				8.6	0.0	96	5.83		21534	1.13	14693	
Column Tot's:														39.5	0.0		86.32		380291		360986	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A J R		T E M P E R A T U R E (degrees Celsius)		W A T E R B A L A N C E		L O N G T E R M		S O L A R R A D I A T I O N								
	min	max	min year	max year	prec	evap	avg pr	avg yrs	max	avg yrs							
04/01 (091-f)	-1.9	8.1	-10.6	18.6	1.4	59	7.6	59	27.2	1959	0.0	2.37	54	21666	0.86	12966	13
04/02 (092-s)	4.4	13.7	-8.9	22.6	1.1	59	7.5	59	28.3	1963	0.0	4.42	54	20671	0.97	12778	13
04/03 (093-s)	-2.5	3.8	-7.8	13.2	0.7	59	7.0	59	26.7	1940	9.1	4.43	52	4857	0.50	10667	13
04/04 (094-m)	-4.2	4.9	-7.8	13.5	1.3	59	7.4	59	28.8	1986	0.0	4.67	53	22607	0.90	13294	13
04/05 (095-t)	4.4	8.6	-7.2	19.5	1.6	59	7.7	59	28.0	1988	3.0	3.30	55	5280	0.42	11697	13
04/06 (096-w)	-1.6	1.6	-8.3	19.9	1.4	59	6.8	59	26.3	1991	17.5	4.85	54	2261	0.26	11441	13
04/07 (097-t)	-4.4	-0.1	-10.5	19.82	1.1	59	7.4	59	28.3	1954	0.0	3.29	53	25338	0.93	17240	13
04/08 (098-f)	-5.5	5.4	-7.8	19.72	0.5	59	7.4	59	24.4	1941	0.0	2.18	55	22761	0.92	16460	13
04/09 (099-s)	7.2	11.9	-7.8	19.57	1.2	59	7.1	59	26.4	1991	5.8	3.74	54	5273	0.43	13847	13
04/10 (100-s)	2.0	8.8	-5.7	19.85	0.7	59	7.3	59	27.2	1945	14.7	3.02	54	10118	0.85	14895	13
04/11 (101-m)	0.9	5.5	-5.6	19.43	1.5	59	8.1	59	27.8	1945	7.6	3.17	55	4598	0.34	16722	13
04/12 (102-t)	6.9	15.2	-7.2	19.40	1.7	59	8.4	59	27.8	1977	1.0	3.57	56	11821	1.04	16869	13
04/13 (103-w)	7.2	10.8	-6.7	19.50	2.7	59	9.3	59	30.0	1941	2.5	3.22	57	4256	1.10	15715	13
04/14 (104-t)	4.8	15.6	-7.2	19.50	3.5	59	10.4	59	28.9	1941	0.0	3.58	54	22070	0.88	14078	13
04/15 (105-f)	10.4	16.7	-5.0	19.43	3.8	59	10.3	59	25.6	1938	4.8	3.21	56	9942	0.85	12763	13
04/16 (106-s)	5.9	10.2	-5.6	19.62	3.4	59	10.0	59	30.0	1945	0.0	1.93	57	17911	1.23	16058	13
04/17 (107-s)	1.3	9.4	-3.3	19.62	3.7	59	10.2	59	28.3	1958	0.0	1.90	52	25471	1.03	14318	13
04/18 (108-m)	1.5	14.4	-6.3	19.90	4.4	59	11.3	59	30.0	1958	0.0	3.38	49	17323	0.95	18231	13
04/19 (109-t)	6.0	17.5	-5.6	19.53	4.8	59	11.6	59	29.4	1941	0.0	3.07	54	22205	0.93	17301	13
04/20 (110-w)	2.5	11.2	-3.4	19.83	5.3	59	11.8	59	29.6	1985	0.0	4.18	56	26342	0.97	15338	13
04/21 (111-t)	7.0	10.2	-3.3	19.53	5.0	59	11.7	59	30.8	1985	0.0	2.83	57	20223	1.08	16117	13
04/22 (112-f)	0.8	8.0	-6.1	19.36	4.8	59	11.7	59	31.1	1985	0.0	2.80	57	27209	0.97	16579	13
04/23 (113-s)	-3.0	9.3	-5.6	19.36	5.0	59	12.5	59	31.7	1960	0.0	3.29	54	26531	0.97	21297	13
04/24 (114-s)	3.8	16.8	-2.1	19.86	6.1	59	12.7	59	31.7	1960	0.0	4.25	56	26214	0.94	15423	13
04/25 (115-m)	11.8	21.6	-2.8	19.67	5.6	59	12.6	59	31.7	1960	0.0	2.78	53	23195	1.06	19815	13
04/26 (116-t)	15.2	22.9	-1.7	19.72	5.6	59	12.6	59	31.6	1990	0.0	2.36	56	21397	1.12	19175	13
04/27 (117-w)	12.7	20.6	-3.9	19.71	5.9	59	12.7	59	32.0	1986	1.0	2.47	55	20879	1.08	19089	13
04/28 (118-t)	6.7	11.9	-2.8	19.46	5.3	59	12.3	59	28.6	1986	0.3	3.31	55	11027	1.06	17056	13
04/29 (119-f)	9.4	16.8	-3.3	19.77	5.7	59	13.0	59	27.8	1987	0.0	2.72	56	7925	0.67	17520	13
04/30 (120-s)	7.1	10.6	-3.9	19.77	6.8	59	13.5	59	31.7	1962	14.0	2.76	51	4095	0.31	17970	13

Column Min's: -5.5 -0.1 4.5 -10.6 0.5 6.8 12.4 0.0 11 2261 0.26
 Column Avg's: 3.9 11.4 18.5 10.0 3.4 10.0 16.7 2.7 51 16382 0.85 15764
 Column Max's: 15.2 22.9 30.5 6.8 6.8 20.3 32.0 17.5 97 27209 1.23 21297
 Column Totals: 81.3 491466 472919

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	min	max	precip	evap	max	avg
05/01 (121-s)	0.5	5.7	12.1	12.1	0.0	6.6	5272	0.35
05/02 (122-m)	-1.9	7.4	16.0	16.0	0.0	6.4	22443	1.21
05/03 (123-t)	5.7	9.2	13.0	13.0	0.5	5.8	8931	0.37
05/04 (124-w)	7.1	10.0	12.9	12.9	0.0	5.0	7920	0.43
05/05 (125-t)	5.3	14.1	21.7	21.7	0.0	7.0	19571	1.12
05/06 (126-f)	7.0	10.7	16.7	16.7	1.3	7.7	23019	1.02
05/07 (127-e)	7.0	8.5	9.5	9.5	9.1	7.1	2452	0.32
05/08 (128-s)	6.9	11.4	19.0	19.0	0.0	6.1	24730	1.11
05/09 (129-m)	5.5	14.2	21.1	21.1	0.0	7.2	17844	1.12
05/10 (130-t)	3.8	12.1	20.3	20.3	0.0	7.2	23635	0.93
05/11 (131-w)	3.5	14.8	23.4	23.4	4.3	7.4	20604	1.09
05/12 (132-t)	4.0	11.3	15.9	15.9	0.0	7.9	21488	1.29
05/13 (133-f)	1.8	11.8	20.4	20.4	0.0	8.6	28966	1.07
05/14 (134-s)	3.6	15.2	24.7	24.7	1.0	8.4	22299	1.18
05/15 (135-s)	11.0	18.3	23.9	23.9	2.5	9.1	8017	1.03
05/16 (136-m)	9.5	12.8	17.5	17.5	0.0	9.1	20627	1.27
05/17 (137-t)	7.9	11.5	16.5	16.5	0.0	9.0	26547	1.33
05/18 (138-w)	4.1	10.4	16.0	16.0	0.0	9.5	26778	1.39
05/19 (139-t)	4.6	12.2	19.7	19.7	0.0	10.2	23903	1.33
05/20 (140-f)	3.3	14.1	22.9	22.9	0.0	10.3	29810	1.01
05/21 (141-s)	4.4	16.7	27.7	27.7	0.0	9.8	28966	0.99
05/22 (142-s)	8.5	20.2	31.1	31.1	0.0	10.7	23582	0.95
05/23 (143-m)	12.9	21.9	30.6	30.6	0.0	10.4	25631	1.01
05/24 (144-t)	13.0	21.5	30.3	30.3	0.0	10.3	19167	1.23
05/25 (145-w)	14.3	19.0	26.4	26.4	5.3	10.7	16030	1.11
05/26 (146-t)	7.6	14.9	20.5	20.5	4.8	10.7	15316	1.27
05/27 (147-f)	4.9	10.9	18.1	18.1	0.0	10.7	29534	1.04
05/28 (148-s)	3.2	14.0	24.0	24.0	0.0	11.1	27889	1.10
05/29 (149-s)	7.7	18.5	27.4	27.4	0.0	10.7	30022	1.01
05/30 (150-m)	12.2	21.8	30.5	30.5	0.0	11.4	21636	0.96
05/31 (151-t)	15.3	23.2	30.2	30.2	1.5	12.1	23141	1.10

Column Min's:	Column Avg's:	Column Max's:	Column Tot's:
-1.9	5.7	9.5	2452
6.6	14.1	21.3	20896
15.3	23.2	31.1	30022
			64770
			596334

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Celsius)		WATER BALANCE		LONG TERM		SOLAR RADIATION			
	min	max	min year	max year	prec	evap	avg	Term	KJ	max		
mo da jul	avg	avg	avgm	avgmx	liq	hum	avg	pr yrs	km/m ² m	avg yrs		
06/01 (152-w)	10.3	18.4	4.4	19.66	12.5	59	19.3	59	25.9	59	33.4	1988
06/02 (153-t)	7.3	14.5	2.2	19.66	12.0	59	18.6	59	25.2	59	32.8	1951
06/03 (154-f)	4.3	15.5	4.3	19.94	12.0	59	18.4	59	24.9	59	31.7	1942
06/04 (155-s)	7.3	18.8	3.6	19.90	11.5	59	18.3	59	25.1	59	32.2	1942
06/05 (156-s)	10.1	22.0	1.0	19.90	11.9	59	19.3	59	26.7	59	33.3	1958
06/06 (157-m)	18.0	24.9	3.3	19.45	12.9	59	20.0	59	27.2	59	34.4	1988
06/07 (158-t)	14.6	23.7	5.0	19.58	13.5	59	20.4	59	27.2	59	33.4	1988
06/08 (159-w)	11.1	14.6	3.3	19.77	13.6	59	20.4	59	27.1	59	33.1	1988
06/09 (160-t)	7.0	17.4	5.5	19.88	13.4	59	20.4	59	27.2	59	34.2	1984
06/10 (161-f)	10.3	21.0	5.0	19.88	13.9	58	20.7	58	27.6	59	33.9	1954
06/11 (162-s)	13.9	22.1	1.7	19.72	13.2	59	20.5	59	27.6	59	33.9	1968
06/12 (163-s)	12.4	20.4	4.4	19.72	13.9	58	20.5	58	27.3	59	34.6	1984
06/13 (164-m)	17.6	25.8	6.7	19.80	14.3	59	21.0	59	27.8	59	35.6	1984
06/14 (165-t)	20.1	25.9	6.1	19.92	14.1	59	20.8	59	27.6	59	36.4	1988
06/15 (166-w)	20.7	26.5	7.2	19.42	14.4	59	20.9	59	27.4	59	35.3	1988
06/16 (167-t)	20.6	24.6	4.4	19.61	14.3	59	21.0	59	28.0	59	35.0	1994
06/17 (168-f)	18.9	27.0	5.6	19.80	14.0	59	20.9	59	27.7	59	36.1	1936
06/18 (169-s)	20.5	28.0	5.0	19.80	14.4	58	21.0	58	27.6	59	36.1	1994
06/19 (170-s)	20.4	27.4	7.2	19.59	14.4	59	21.0	59	27.7	59	36.4	1994
06/20 (171-m)	20.4	24.6	7.2	19.82	14.5	59	21.3	59	28.3	59	37.9	1988
06/21 (172-t)	19.8	25.8	5.7	19.92	14.8	59	21.5	59	28.3	59	37.9	1988
06/22 (173-w)	18.3	24.3	3.5	19.92	14.7	59	21.5	59	28.3	59	37.9	1988
06/23 (174-t)	15.4	22.4	6.7	19.63	14.7	59	21.2	59	27.7	59	34.4	1948
06/24 (175-f)	17.5	22.7	7.1	19.82	14.4	59	21.4	59	28.5	59	35.0	1943
06/25 (176-s)	14.7	17.9	5.0	19.79	14.8	59	21.7	59	28.6	59	39.2	1988
06/26 (177-s)	15.8	17.7	7.2	19.79	14.3	58	21.7	58	29.0	59	36.1	1952
06/27 (178-m)	16.0	18.7	7.5	19.88	15.2	59	22.2	59	29.5	59	37.2	1944
06/28 (179-t)	13.6	21.6	7.1	19.88	15.2	59	22.5	59	29.8	59	38.3	1944
06/29 (180-w)	17.0	21.3	7.8	19.38	15.8	59	22.5	59	29.4	59	35.6	1952
06/30 (181-t)	14.7	19.4	5.7	19.88	15.6	59	22.3	59	29.2	59	35.8	1991
Column Min's:	4.3	14.5	1.0	11.5	18.3				24.9			
Column Avg's:	15.0	21.8		13.9	20.8				27.6			
Column Max's:	20.7	28.0		15.8	22.5				29.8		39.2	
Column Totals:											138.6	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		Long Term		SDLAR RADIATION		
	min	max	min year	max year	prec	evap	avg pr	avg yrs	KJ	max	
07/01 (182-f)	14.0	22.5	4.8	29.2	0.0	---	7.53	54	27580	1.07	20023
07/02 (183-g)	18.2	21.6	6.9	29.2	17.0	---	2.36	55	15670	1.03	19329
07/03 (184-s)	17.4	21.5	8.9	29.4	3.6	---	3.77	57	16029	1.29	21325
07/04 (185-m)	16.8	24.9	6.7	29.0	0.0	---	3.67	56	25759	0.93	23644
07/05 (186-t)	20.1	27.1	7.8	29.1	0.0	---	2.16	54	24704	1.03	22157
07/06 (187-w)	21.8	27.4	7.2	29.1	0.0	---	1.76	55	22715	1.04	22654
07/07 (188-t)	21.0	26.0	7.7	29.5	17.8	---	2.25	56	24550	1.16	23562
07/08 (189-f)	21.3	23.2	7.3	29.5	26.2	---	2.40	57	19920	1.14	23319
07/09 (190-s)	19.7	23.6	8.9	30.1	0.5	---	3.72	58	26794	1.10	20451
07/10 (191-s)	12.7	19.0	6.7	30.0	0.0	---	3.89	56	21334	1.40	21913
07/11 (192-m)	10.1	18.7	7.8	30.1	0.0	---	3.23	54	29242	1.05	19807
07/12 (193-t)	13.8	22.8	8.3	29.7	0.0	---	3.24	58	27936	0.94	19114
07/13 (194-w)	15.7	22.4	7.2	29.6	0.0	---	4.29	56	17550	1.02	20219
07/14 (195-t)	20.7	24.4	7.8	30.1	2.5	---	3.79	56	16582	1.07	19725
07/15 (196-f)	18.3	23.9	9.4	29.5	0.0	---	2.46	56	18894	1.11	20889
07/16 (197-s)	14.4	21.6	7.2	30.0	0.0	---	2.19	59	26407	1.07	24614
07/17 (198-s)	15.1	23.0	8.3	30.1	0.0	---	2.97	57	21057	1.13	22943
07/18 (199-m)	16.6	23.1	9.4	29.9	0.0	---	3.50	57	23273	1.12	22914
07/19 (200-t)	14.5	23.8	7.8	30.3	0.0	---	4.58	58	26048	0.92	20262
07/20 (201-w)	20.3	27.5	8.3	30.0	0.0	---	6.04	57	25148	1.14	18700
07/21 (202-t)	20.5	24.6	7.2	29.3	1.5	---	4.17	56	18263	1.02	20178
07/22 (203-f)	20.0	23.5	8.3	29.9	0.0	---	3.41	58	13372	1.07	17623
07/23 (204-s)	17.7	23.5	7.8	30.0	0.3	---	4.12	58	20025	1.16	22466
07/24 (205-s)	17.4	22.6	7.8	29.9	7.6	---	2.46	55	18819	1.17	22065
07/25 (206-m)	15.9	22.0	10.0	30.4	0.3	---	2.63	57	22627	1.14	20420
07/26 (207-t)	14.9	20.3	9.4	29.7	0.0	---	2.14	57	17387	1.23	18025
07/27 (208-w)	13.8	19.7	7.8	30.4	0.0	---	3.67	57	17008	1.20	22012
07/28 (209-t)	15.2	19.5	8.9	30.2	0.0	---	4.12	57	18377	1.10	21425
07/29 (210-f)	13.8	18.7	10.7	29.6	9.4	---	3.76	55	13936	1.00	22369
07/30 (211-s)	15.2	20.9	9.4	29.1	0.3	---	2.22	59	22614	1.04	19818
07/31 (212-s)	15.4	22.0	8.9	29.0	0.0	---	2.13	57	22254	0.96	18645

Column Min's: 10.1 18.7 23.0 4.8 15.2 22.1 29.0 29.0 0.0 0.0 1.76 0.92

Column Avg's: 16.9 22.8 29.8 16.1 22.8 29.7 30.4 30.4 41.1 21351 1.09 21059

Column Max's: 21.8 27.5 35.0 16.8 23.5 30.4 41.1 41.1 26.2 29242 1.40 24614

Column Tot's: 17.7 23.5 29.8 17.4 22.6 30.8 15.9 23.6 15.9 58 22.4 58 35.0 1955 87.0 661874 652830

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.

These data are provided as a public service solely for informational use.

DATE	AIR		TEMPERATURE (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	min	max	precip	evap	max	avg
08/01 (213-m)	15.7	23.3	8.3	19.47	0.0	22.4	22.153	0.94
08/02 (214-t)	17.8	23.4	9.4	19.71	1.0	22.7	21.122	0.88
08/03 (215-w)	16.6	23.7	6.7	19.65	0.0	23.2	21.812	0.99
08/04 (216-t)	20.0	22.8	9.4	19.50	16.5	22.7	16.161	1.04
08/05 (217-f)	10.0	16.9	7.2	19.51	0.3	21.9	20.037	1.32
08/06 (218-s)	7.4	15.2	7.4	19.94	0.0	21.8	26.089	1.10
08/07 (219-s)	8.5	17.3	8.5	19.94	0.0	21.8	25.027	1.10
08/08 (220-m)	10.5	20.2	8.2	19.89	0.0	22.4	24.070	1.02
08/09 (221-t)	12.1	17.4	10.2	19.89	0.0	22.6	63.10	0.46
08/10 (222-w)	9.0	17.5	7.2	19.72	0.0	22.3	22.056	1.22
08/11 (223-t)	16.4	20.0	7.2	19.72	2.5	22.0	10.598	1.16
08/12 (224-f)	6.1	19.67	..	21.4
08/13 (225-s)	20.2	27.0	7.2	19.67	2.5	21.7	3.660	0.96
08/14 (226-g)	12.7	20.2	6.1	19.64	14.5	22.1	1.867	1.17
08/15 (227-m)	8.2	15.9	5.0	19.64	0.0	22.3	24.642	1.15
08/16 (228-t)	9.0	18.0	6.1	19.79	0.0	22.3	25.384	0.91
08/17 (229-w)	15.0	20.9	6.7	19.79	0.0	22.0	14.904	1.19
08/18 (230-t)	15.5	21.0	7.2	19.81	0.0	21.7	20.115	0.99
08/19 (231-f)	14.1	22.1	7.2	19.43	0.0	21.7	21.603	0.88
08/20 (232-s)	18.0	22.3	8.1	19.92	18.3	21.4	1.2806	0.87
08/21 (233-s)	17.6	19.6	5.6	19.40	0.0	21.1	1.2822	1.01
08/22 (234-m)	14.5	19.7	6.1	19.82	0.0	21.5	2.1611	0.88
08/23 (235-t)	11.1	18.7	7.2	19.46	0.0	21.4	2.2333	0.84
08/24 (236-w)	12.3	20.8	6.1	19.71	0.0	20.9	2.0427	0.90
08/25 (237-t)	17.4	23.5	5.0	19.42	0.5	21.0	2.1064	0.98
08/26 (238-f)	16.9	23.1	5.0	19.46	0.0	21.4	1.6139	0.96
08/27 (239-s)	16.5	23.1	6.7	19.46	0.0	21.6	1.8669	0.98
08/28 (240-s)	19.7	23.2	5.1	19.86	7.9	21.8	1.01	1.4584
08/29 (241-m)	12.4	18.2	3.0	19.82	0.0	21.6	2.2898	1.08
08/30 (242-t)	9.8	17.8	2.2	19.46	0.0	21.7	1.4435	1.17
08/31 (243-w)	15.3	20.0	6.4	19.86	15.5	21.5	8.896	1.01
Column Min's:	7.4	15.2	2.2	13.8	0.0	20.9	3660	0.46
Column Avg's:	14.0	20.4	20.9	28.9	2.7	21.9	18278	1.01
Column Max's:	20.2	27.0	16.4	23.2	18.3	30.3	26089	1.32
Column Tot's:					79.5		548354	580132

Published jointly by: the Dept. of Agr. Engineering, QARDC; the Statistics Lab, QARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	AIR T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION	
	min	max	prec	evap	max	long-term
mo da jul	avg	avg	liq	mm	KJ	kw/m ² avg yrs
09/01 (244-t)	8.4	14.6	0.0	--	16844	1.16 17161 13
09/02 (245-f)	7.3	13.6	0.0	--	17754	1.06 15643 13
09/03 (246-s)	8.8	14.5	0.0	--	21861	1.05 15823 13
09/04 (247-s)	7.8	14.8	0.0	--	17704	0.97 17736 13
09/05 (248-m)	9.2	16.5	0.0	--	16514	1.08 17534 13
09/06 (249-t)	13.7	17.7	0.3	--	12729	1.01 15964 13
09/07 (250-w)	10.0	16.0	0.0	--	20595	1.03 15185 10
09/08 (251-t)	7.2	17.0	0.0	--	20888	0.95 18551 12
09/09 (252-f)	11.4	18.5	0.0	--	16820	0.95 15556 12
09/10 (253-s)	13.7	19.5	0.8	--	20282	0.91 14980 13
09/11 (254-s)	8.9	16.5	0.0	--	22095	0.85 16324 13
09/12 (255-m)	6.5	17.3	0.0	--	20556	0.84 13515 13
09/13 (256-t)	12.5	21.3	0.0	--	16800	0.91 16575 13
09/14 (257-w)	16.0	24.3	0.0	--	17841	0.92 14464 12
09/15 (258-t)	17.4	24.4	0.0	--	15594	0.90 13664 13
09/16 (259-f)	16.8	23.4	0.0	--	16760	0.92 14458 13
09/17 (260-s)	17.7	21.0	10.2	--	10151	0.89 16929 13
09/18 (261-s)	8.9	16.1	0.0	--	18492	1.03 13301 13
09/19 (262-m)	7.3	15.7	0.0	--	18640	0.93 14112 13
09/20 (263-t)	9.2	17.9	0.0	--	19232	0.77 15270 12
09/21 (264-w)	9.1	17.7	0.0	--	17861	0.90 14524 11
09/22 (265-t)	10.4	17.8	0.0	--	18186	0.80 12442 12
09/23 (266-f)	9.9	16.7	0.0	--	13261	0.84 12204 12
09/24 (267-s)	15.4	20.4	1.0	--	14221	1.07 13074 10
09/25 (268-s)	11.8	18.1	1.8	--	12245	0.96 14877 13
09/26 (269-m)	8.2	14.2	0.0	--	11976	0.96 13317 13
09/27 (270-t)	11.8	13.3	1.8	--	5014	0.47 13292 12
09/28 (271-w)	9.5	13.4	0.0	--	10091	0.97 13673 12
09/29 (272-t)	6.6	12.1	0.0	--	16150	0.97 13713 12
09/30 (273-f)	3.1	13.5	0.0	--	15544	0.76 12880 13
Column Min's:	3.1	12.1	0.0	45	5014	0.47
Column Avg's:	10.5	17.3	0.5	58	16423	0.93 14898
Column Max's:	17.7	24.4	10.2	75	22095	1.16 18551
Column Tot's:			15.9	71.99	492701	446941

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.

DATE	A I R		T E M P E R A T U R E (degrees Celsius)		WATER BALANCE		SOLAR RADIATION																
	min	max	min year	max year	liq prec	evap	max	avg															
mo da	avg	avg	avg yrs	avg yrs	mm	mm	kw/m ²	kw/m ²															
10/01 (274-s)	12.5	19.1	28.3	-0.6	1947	7.8	59	14.8	59	21.8	59	31.1	1937	0.0	52	2.39	57	12006	0.93	11703	13
10/02 (275-s)	8.2	14.0	20.6	-1.7	1974	7.1	59	14.6	59	22.1	59	31.7	1954	0.0	37	1.77	57	18021	0.74	13430	13
10/03 (276-m)	3.9	11.1	18.1	-1.7	1974	7.1	59	14.1	59	21.1	59	32.8	1953	0.0	39	2.05	58	18353	0.75	13214	13
10/04 (277-t)	3.1	9.0	16.7	-3.0	1987	7.0	59	14.2	59	21.7	59	30.6	1951	0.0	63	2.76	56	12306	1.05	12283	12
10/05 (278-w)	2.8	10.1	16.9	-3.3	1965	6.9	59	13.8	59	20.7	59	30.6	1951	0.0	54	1.36	56	8091	0.92	12750	13
10/06 (279-t)	0.8	10.2	20.6	-3.1	1988	6.8	59	13.8	59	20.9	59	29.6	1982	0.0	53	2.71	58	16739	0.70	13788	13
10/07 (280-f)	5.0	15.8	26.2	-2.2	1952	6.1	59	13.2	59	20.4	59	31.1	1939	0.0	51	2.23	55	15215	0.71	12351	13
10/08 (281-s)	12.6	19.1	26.8	-2.4	1988	6.0	59	12.9	59	20.0	59	32.8	1939	0.0	52	1.24	56	14468	0.81	11662	13
10/09 (282-s)	5.8	13.0	20.3	-1.7	1974	6.6	59	13.0	59	19.5	59	31.7	1939	4.3	50	2.80	58	15761	0.77	7982	12
10/10 (283-m)	1.4	7.5	14.9	-1.7	1956	5.7	59	12.3	59	19.1	59	28.3	1939	0.0	49	2.94	57	17301	0.72	10314	10
10/11 (284-t)	-1.8	7.8	18.5	-7.2	1964	5.0	59	11.9	59	19.0	59	29.4	1954	0.0	47	0.77	56	17115	0.71	11154	13
10/12 (285-w)	2.9	11.8	21.9	-6.1	1964	5.6	59	12.4	59	19.3	59	29.4	1938	0.0	29	1.45	59	16637	0.71	9657	13
10/13 (286-t)	8.4	13.0	18.6	-3.8	1988	5.4	59	12.3	59	19.5	59	27.3	1985	0.0	44	1.85	56	7113	0.80	10522	13
10/14 (287-f)	9.3	15.1	23.3	-2.9	1988	5.4	59	12.5	59	19.9	59	30.0	1989	0.0	54	1.11	53	12980	0.92	10104	13
10/15 (288-s)	6.7	14.3	23.8	-5.6	1939	4.9	59	12.4	59	20.0	59	28.9	1953	0.0	49	1.73	56	14938	0.76	11249	13
10/16 (289-s)	4.7	14.6	25.4	-3.9	1937	4.8	59	12.2	59	19.7	59	30.0	1938	0.0	27	1.19	55	15472	0.68	10333	13
10/17 (290-m)	2.3	13.7	25.7	-5.0	1977	5.1	59	11.8	59	18.6	59	30.6	1938	0.0	32	2.94	57	15197	0.65	10064	13
10/18 (291-t)	6.6	16.7	26.3	-5.0	1976	4.3	59	11.3	59	18.4	59	30.0	1938	0.0	34	2.48	58	13556	0.68	9454	13
10/19 (292-w)	14.8	16.0	17.4	-5.0	1976	3.9	59	10.4	59	17.0	59	30.0	1953	8.9	88	1.62	55	2100	0.16	8015	12
10/20 (293-t)	7.9	14.4	19.9	-5.6	1972	2.8	59	9.5	59	16.3	59	30.6	1953	0.0	63	0.76	57	10536	0.80	7000	13
10/21 (294-f)	4.3	11.4	20.1	-7.8	1952	3.7	59	10.5	59	17.3	59	29.4	1953	0.0	61	1.51	57	12768	0.72	7492	13
10/22 (295-s)	4.3	11.1	19.7	-6.7	1974	4.3	59	10.9	59	17.7	59	28.3	1953	0.0	63	1.55	56	11857	0.62	8274	12
10/23 (296-s)	3.3	11.1	19.7	-5.6	1976	4.5	59	11.2	59	18.0	59	33.0	1986	0.0	46	0.76	53	14256	0.65	9738	12
10/24 (297-m)	2.8	7.5	16.7	-7.8	1964	3.3	59	9.8	59	16.3	59	26.0	1991	1.3	59	2.74	55	5015	0.84	7382	13
10/25 (298-t)	0.4	4.7	7.9	-7.2	1964	3.3	59	9.3	59	15.5	59	26.7	1963	0.0	60	2.45	54	4901	0.39	8881	13
10/26 (299-w)	3.9	6.5	11.1	-7.2	1962	3.1	59	9.1	59	15.5	59	27.8	1963	0.0	48	0.96	55	7923	0.81	9430	13
10/27 (300-t)	2.3	7.5	14.5	-7.2	1962	3.0	59	9.4	59	15.9	59	28.9	1963	0.0	46	2.06	57	12576	0.77	9642	13
10/28 (301-f)	-0.8	8.8	18.3	-7.8	1976	2.0	58	9.1	58	16.3	59	25.0	1963	0.0	37	0.88	54	13522	0.61	9965	12
10/29 (302-s)	5.0	11.8	20.5	-7.2	1976	2.6	58	9.0	58	15.4	59	25.6	1946	0.0	30	0.76	53	13034	0.60	9738	12
10/30 (303-s)	3.9	11.6	21.3	-6.1	1965	2.6	58	9.0	58	15.6	58	24.4	1946	0.0	43	0.95	58	11023	0.67	8439	13
10/31 (304-m)	6.0	11.1	14.9	-8.3	1988	3.3	58	9.5	58	15.9	58	27.2	1950	2.0	82	2.05	57	3294	0.63	7618	13
Column Min's:	-1.8	4.7	7.9	-8.3		2.0		9.0		15.4		33.0		0.0			27	0.76		2100	0.16	7000	
Column Avg's:	4.9	11.9	19.8	4.8		11.6		18.5		18.5				0.5			50	1.77		12389	0.72	10146	
Column Max's:	14.8	19.1	28.3	7.8		14.8		22.1		22.1				8.9			88	2.94		18353	1.05	13788	
Column Tot's:														16.5				54.82		384074		314538	

Published jointly by: the Dept. of Agr. Engineering, OARDC; the Statistics Lab, OARDC; and the Dept. of Geography, Miami University.
 These data are provided as a public service solely for informational use.